

# Design for life.





# IMMER BESSER (forever better) – our pledge When our two great grandfathers were in the process of founding the Miele company, they had to make sure they stood apart from the competition in order to be successful. There are effectively only two ways of doing this: either by being cheaper than the rest or by being better than the rest. It is not really possible to be both at the same time. They decided to be "better" than the rest. Numerous best in class awards and certificates attest to the fact that Miele has continued to renew its commitment to being "immer besser" throughout the past 115 years. However, the millions of satisfied customers around the world are perhaps the most important endorsement. At the heart of this success lies a continuity of values and goals which are typically only found in companies which have been family-run for generations, rather than in businesses which are guided by the often short-term interests of the stock market. It is in this sense that Miele has embodied first-class product quality and German engineering since 1899. Miele also stands in equal measure for respect, fairness and mutual esteem towards sales partners, customers, suppliers, employees and neighbours. Buying a Miele is an environmentally friendly decision. We ensure this by using methods of production that save resources as well by producing products which set new standards in terms of their consumption of electricity, water and detergent - and save you money at the same time.\* As directors and co-proprietors of the fourth generation of our business we promise you that this will not change. Markers Miele Runiscod Ini Ram Dr. Markus Miele Dr. Reinhard Zinkann Please visit www.miele-sustainability.com for more information on our efforts and guiding principles

### **IMMER BESSER**

### Our brand promise

### There are many good reasons for choosing Miele.

Here are just six of them.
Since the company was founded in 1899, Miele has remained true to its ,Immer
Besser' brand promise. This means that we will do all that we can to be ,forever better' than our competitors and ,forever better' than we already are. For our customers this means the peace of mind of knowing that choosing Miele is a good decision – and probably the decision of a lifetime!



#### The Miele brand

In many countries, Miele is the most desired brand in its field. In its German home market, Miele was even voted ,best brand ever' in 2013 across all product branches. And the ownership of products from such a brand reveals much about its users: Miele customers have high expectations for the performance, convenience, design and the environmental friendliness of their domestic appliances. People who buy Miele are quality conscious and have style!











#### Miele quality

For more than 100 years it has been a proven adage that you can trust Miele and rely on our appliances. We are the only manufacturer in our branch of industry to test products such as our washing machines, tumble dryers, dishwashers and ovens to the equivalent of 20 years of use. Once a Miele, always a Miele: Miele customers around the world remain loyal to Miele and recommend Miele to others. Looking to the future, we promise not to entertain any compromises when it comes to quality and durability!

### Miele technology

Miele stands for excellent results combined with the lowest possible energy consumption. This goes for the hygienic and gentle care of your laundry, your flooring and your crockery as well as when conjuring up exquisite culinary delights. The key to this is a wealth of innovative features available only from Miele. This is borne out by numerous first places in leading product tests conducted around the world.

#### Miele convenience

Whether conventional rotary switch, discreet sensor controls or a high-resolution touch display like the one on your smartphone: operating a Miele is both easy and fun. Add to this a multitude of convenient and reliable automatic programmes and a great love of detail - success is guaranteed - on board both laundry and kitchen appliances. Make life easier for yourself with Miele!

### Miele design

Miele believes in clean lines and timeless elegance. Nowhere else will you find such a comparable range of built-in kitchen appliances, with consistency in Design lines and colour options, to suit the most diverse of interior designs and kitchen furniture fronts. Great care is taken to coordinate appliance design across the range. Whatever the style of your kitchen: Miele is the perfect match.

#### Miele service

Miele customers enjoy preferential treatment: thanks to our fast and efficient after-sales service operation which has been voted best in its branch of industry many times over. Even if you need personalised instructions on appliance use or professional cleaning of your machines, Miele will gladly make a home visit. We will always be there for you. That's a promise!

## Sparkling moments

Dishwashers from Miele

On the next pages you will experience how Miele dishwashers make your dishes sparkle – and put a smile on your face: with excellent cleaning results, clever details which make everyday work simpler, and low consumption values to suit the environment and your budget.

### Contents

### Introduction

Our pledge	3
Dishwasher award for the fourth time	8-9
Design	10
The range	12

#### **Product benefits**

1 Todaot Bellelito	
The highlights of Miele dishwashers	14-15
Further product benefits	16-17
Gentle treatment of crockery and glassware	18-19
Basket designs	20-21
Dishwashing programmes	22-23
Dishwashing options	24-25

### **Products**

Product overview	26-34
Accessories	35-36
Glossary	37-38
Building-in drawings	39
Detergents, rinse aid and salt	40-44





# Most Satisfied Customers. Dishwasher award for the fourth time.



Canstar Blue is a customer satisfaction research and ratings business launched in July 2010 with the core purpose of helping consumers make better purchase decisions. Based on independent research conducted by Colmar Brunton, so far over 90,000 Australians have reviewed their customer satisfaction across more than 100 different categories.

Canstar Blue is focused on product and service excellence and aims to act as the real voice of the consumer (based on quantitative research). Hence the Canstar Blue tagline is "by consumers, for consumers". More than 58% of Australians are now aware of the Canstar Blue brand\* and all the results are freely available to consumers via their website. Customers who took part in the dishwasher survey reviewed:

- Overall satisfaction
- Value for money
- Performance
- Quietness







# Perfect design harmony in your kitchen

The designs of a Miele dishwasher







#### Freestanding dishwashers

Freestanding dishwashers with a hardwearing covering panel which can be used as a worktop. As these appliances are not built in, they can simply move house with their owners and be installed in the new kitchen.



#### **Built-under dishwashers**

Ideal as replacement units in existing kitchens. The appliance can be installed in a kitchen run. Built-under dishwashers are available in Brilliant White and Stainless steel with CleanSteel finish.



### Integrated dishwashers

Appliance fronts and fascias are designed to take front panels to match kitchen furniture. Alternatively, front panels in stainless-steel with CleanSteel finish are also an option.



### Fully integrated dishwashers

The entire front of the appliance is concealed either behind cabinet panelling or a Miele front made from stainless steel with CleanSteel finish. This allows dishwashers to blend in unobtrusively with the design of the kitchen.

### The ideal solution for your kitchen

The wide range of Miele dishwashers



### Standard dishwashers (81 cm high, 60 cm wide)

(81 cm high, 60 cm wide) This is the standard niche dimension available in the majority of households, from 81 cm built-under height.



### Extra tall dishwashers (XXL)

(85 cm high, 60 cm wide)
Built-under, integrated and fully integrated dishwashers from Miele are also available as XXL models. They are suitable for kitchens with 85 cm built-under height. These appliances offer 4 cm of additional depth in the upper basket: the deeper basket offers even greater flexibility and more loading options for example for stemware, large coffee mugs and plates with a diameter of up to 23 cm.



### Extra narrow dishwashers (SlimLine)

(81 cm high, 45 cm wide) Ideal for households where space is at a premium, but still requiring everything a Miele dishwasher has to offer.





# Exclusive features for perfect results and more convenience

The product highlights of Miele dishwashers\*



Exclusive to Miele Unique: this appliance can be perfectly integrated into handleless kitchens – the door opens automatically by tapping lightly twice.



High level of energy efficiency
Best performance: highly economical,
producing excellent cleaning and drying
results.



Fresh water dishwashers with water consumption from 6.5 I
Minimum consumption: in the Automatic programme best cleaning results

programme best cleaning results combined with minimum water consumption.



Exclusive to Miele BrilliantLight<sup>3)</sup>
Automatically controlled: four

LEDs immerse the entire dishwasher interior in brilliant light.



Patented<sup>4)</sup> AutoOpen drying to Miele Everything perfectly dry: the

dishwasher door opens automatically at the end of a programme cycle.







### Further convincing talents

The product benefits of Miele dishwashers\*



to Miele FlexiTimer with EcoStart Clever: with EcoStart, the dishwasher automatically selects the cheapest electricity tariff every time.



Exclusive to Miele

PremiumComfort basket design

Unique: the new design of the lower

Unique: the new design of the lower basket and the innovative upper basket offers a wide range of functions.



Exclusive to Miele Perfect GlassCare¹)
Gentle and with care: this technology ensures that your glasses are cleaned gently.



the door is sufficient to activate the motorised door closing feature.

AutoClose
Very slight pressure against to activate the motorised door closing feature.



Exclusive to Miele Practical: the door is extremely easy to open and close, and stays open in any position.



to Miele container

Extremely convenient: salt can be replenished in a simple and convenient way, pouring it into the container with the door half-open, without having to stoop.

Patented2) in-door salt



to Miele
TimeControl
Clear and concise: four LEDs
inform users of the time remaining to the
end of the programme.



Exclusive to Miele

No residue: this feature ensures that crockery is dry even under adverse conditions.



Exclusive to Miele

Reduced load4)

Full load not necessary: the automatic 'Reduced load' function adjusts water and electricity consumption to the load size.



Exclusive to Miele SolarSave Unbeatable: with the SolarSave function you can achieve an extremely low electricity consumption of 0.05 kWh per cycle.



Exclusive to Miele


Waterproof System
Protection from water
damage: if correctly installed, Miele offers
a life-long guarantee\*\*.



**Touch-on-Metal controls**Elegant and convenient: flush controls in a stainless steel fascia panel achieve a high-end linear design.



**Best sound emissions**Barely audible: sound emissions as low as 41 dB(A), yet constantly achieve perfect results.



ExtraQuiet
Extremely quiet: this programme
produces only 38 dB(A) and is so quiet
that you can hardly hear it.



Hot water connection Consistent sustainable approach: all dishwashers can be connected to a hot water supply, max. temperature 60°C.



#### **EcoFeedback**

Economical dishwashing: when selecting a dishwashing programme, the estimated water and electricity consumption values will be shown in the display.



### Delay start with integrated countdown indicator

Smart: the countdown indicator. Thanks to the delay start feature, the start of a programme can be postponed by up to 24 hours.

- \* Features vary depending on model
  \*\*Equates to 7,500 programme cycles
- 1) EP2233061B1 2) EP1457153B1, US7124765B2 3) DE102006042486B3, EP1902659B1 4) EP1967121B1

### Gentle cleaning of high-quality glassware

Gentle treatment of crockery and glassware in Miele dishwashers



DeLuxe basket design



3D cutlery tray



AutoOpen drying



CareCollection

#### Riedel recommends Miele dishwashers

Can you really wash delicate, expensive wine glasses in a dishwasher? Yes, perfectly, as long as it's a Miele! With its unique combination of intelligent features, Miele is the specialist when it comes to protecting glassware:

- 3D cutlery tray: ample space even for stemware
- DeLuxe basket design: secure hold for wine glasses
- AutoOpen drying: gentle, sparkling drying without the need for polishing
- Perfect GlassCare:
   long-lasting sparkle for your glasses
- 'Sensor wash gentle' programme: perfect control of glass-care parameters
- CareCollection: perfectly matching cleaning products with special glass-protection formula

The results: spotless, sparkling glasses without the need for polishing. No smears, no water stains, no breakages. After numerous wash cycles, your valuable glassware will look as good as new.

Even high-quality delicate stemware can be washed in a Miele dishwasher without any risk.

This has been confirmed by Riedel, manufacturer and originator of fine wine glasses. Maximilian Riedel explicitly recommends that Riedel glasses, both hand and machine-blown, be washed in a Miele dishwasher.





### Here, plates can step out of line

The basket designs of Miele dishwashers\*



Exclusive to Miele MultiComfort area in lower basket<sup>1)</sup>

For all types of crockery: even large pots or bulky items can be accommodated easily in the versatile lower basket.



Exclusive to Miele Individual and space-saving: the jumbo cup rack is perfect for large coffee cups, cereal bowls, etc.



Ergonomic basket handles
Domestic chores made easier:
the basket handles simplify loading and unloading.



Height-adjustable upper basket Several options: on all Miele dishwashers, the upper basket is easily heightadjustable.



Height-adjustable glass rail
Many guests, many glasses: the heightadjustable rail creates additional space in
the upper basket for even more glasses.



Exclusive to Miele Secure hold: a height-adjustable glass holder and a special glassware rail in the lower basket help provide a secure hold.




Hinged bottle holder

Absolutely secure: even items such as vases can be thoroughly cleaned using the bottle holder.



**Cutlery basket** 

Extremely versatile: the cutlery basket can be positioned over the front row of spikes in the lower basket.



**Cutlery tray** 

All items of cutlery are separated, soil is completely removed and cutlery perfectly dried.

1) Patent pending: EP2377455B1, US2011/0253650A1 \*Features vary depending on model

### Basket design: feature variants

	Features	EasyComfort basket design	ExtraComfort basket design	PremiumComfort basket design
	Cutlery tray	•		
	3D cutlery tray		•	•
	Stainless-steel basket handles			•
	Basket handles		•	
Me	Height-adjustable upper basket	•	•	•
A	Fixed row of spikes in upper basket	•	•	
	Height-adjustable glassware rail in upper basket			•
	Hinged row of spikes in upper basket			•
THE WAY	Width-adjustable jumbo cup rack in upper basket (only in XXL dishwashers)			•
C	MultiComfort area in lower basket (for plates up to 35 cm in diameter)	•	•	(removable)
	2 row of spikes in lower basket	•	(hinged, right)	(both hinged)
	Height-adjustable glass holders in lower basket		2 (on sides at rear)	4
	Hinged glass rails in lower basket			•
	Hinged bottle holder in lower basket			•

### For all eventualities

### The dishwashing programmes of Miele dishwashers\*



ECO Extremely economical: this water and energy-saving programme is suitable for mixed loads.



Sensor wash For standard crockery: for example mixed loads with all types of food residue.



Light soiling 55°C Quick and efficient: the programme for many occasions thoroughly cleans crockery with regular soiling.



Intensive 75°C Maximum cleaning performance: pots, pans, etc. are cleaned residue-free.



Sensor wash gentle Gentle and with care: this programme is ideal for temperature-sensitive and lightly soiled crockery.



Quick wash 40°C Short programme cycle: cleans mixed loads with fresh food residue in approx. half an hour.



Hygiene Hygienically clean: baby bottles, cutting boards, etc. are thoroughly cleaned and bacteria-free, certified by Germany's Institute for 22 Applied Research GmbH.



**ExtraQuiet** Extremely quiet: for mixed loads with slightly dried-on food residue.



**SolarSave** Unbeatable: with the SolarSave function you can achieve an extremely low electricity consumption of 0.05 kWh per cycle.



Pasta/Paella
For dishes containing starch: the programme removes pasta, rice and potato residue.



Tall items 65°C
For large, bulky items: frees up space for large, bulky items in the lower basket.



Glasses warm
Brilliant appearance: this programme
excludes the drying phase, guaranteeing a
perfect head in beer glasses.



Maintenance programme
As and when required: this programme ensures the effective and thorough cleaning of your dishwasher.

23

### For all eventualities

### The dishwashing options of Miele dishwashers\*



### Short

Sometimes things have to be done on the double: the "Short" option reduces the length of a programme by up to 30%.



### **Energy save**

Sensible choice: this option reduces electricity consumption by adjusting temperatures and contact times.



### Extra dry

Guaranteed dry: thanks to the extended drying phase and the increased final rinse temperature everything is perfectly dried, even glasses and plastic items.



#### Intensive lower basket

Strong and gentle at the same time: this option for enhanced cleaning performance in the lower basket can be added to a programme.



### Pre-wash

To avoid smells: if a complete programme cycle is not yet needed, crockery can be pre-rinsed to avoid unpleasant odours.



#### Soak

The Soak Extra is used for soaking crockery with dried on soiling".



# Freestanding dishwasher, 60 cm



Model/Sales designation standard version (60 x 81 cm)	G 4920	G 4920 SC	G 6100 SC
Model/Sales designation XXL variant (60 x 85 cm XXL)	-	_	-
Construction type			
Freestanding dishwasher/Built-under dishwasher	•/-	•/-	•/-
Integrated dishwasher/Fully integrated dishwasher	-/-	-/-	-/-
45cm dishwasher/60cm dishwasher	_/•	_/• _/•	-/•
Design	, -	,-	,-
Fascia panel version/Operation	Straight/Push button	Straight/Push button	Straight/Push button
Display	3-digit 7-segment indicator	3-digit 7-segment indicator	3-digit 7-segment indicator
Convenience	3-digit 1-segment indicator	3-digit 7-segment indicator	3-digit 1-segment indicator
Knock2open			
AutoClose/ComfortClose	<u>-</u> -/●		
BrilliantLight/Salt container in door		<del></del>	
Operational noise dB (A) re 1 pW	46	46	45
Time left indicator/Delay start up to 24h/TimeControl	<del>-/•/-</del>		<del></del>
Functional check	Control display	Control display	Control display
Efficiency and sustainability	Control display	Control display	Control display
	2.5	2.5	2.5
Energy efficiency rating		3.5 5	<u>3.5</u>
WELS Water efficiency rating	<del>5</del>		
Energy consumption in kWh/year		274	274
Water consumption in I/cycle	11.3	11.3	11.3
Consumption values with ThermoSave® in ECO programme in kWh	0.41	0.40	0.40
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®			
Alternating spray arm technology/Half load	_ <del>-/-/</del>		
<u> </u>	<b>-</b> /-	5/5	<b>-</b> , -
Quality of results			
AutoOpen drying SensorDry/Recirculation turbothermic drying/	<del>_</del>	<del>-</del>	<del>-</del>
Active condensation drying	-/-/●	_/_/●	●/●/-
Perfect GlassCare			
Dishwashing programmes		_	
ECO/Sensor wash/Intensive 75°C	●/●/●	●/●/●	●/●/●
Light soiling 55°C/Sensor wash gentle/			
Quick wash 40°C	●/●/_	●/●/_	●/●/●
Hygiene/SolarSave/Maintenance programme			
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)			
Programmes for special applications (e.g. Pasta/Paella)	_ <u></u>		
Rinse options			
Short/Intensive lower basket/Energy save/Extra dry	●/-/-/-	•/-/-/-	●/-/-/-
Soak/Pre-wash			<del>-/-</del>
Basket design	· ·		
Cutlery loading	Cutlery basket	Cutlery tray	3D cutlery tray
Basket design	Comfort	Comfort	ExtraComfort
No. of standard place settings	14	<del>Comion</del>	14
No. of standard place settings  Safety	14	14	14
WaterProof system	•	•	•
,			
Check filter indicator	<u>-</u>		<u>−</u> •/-
Child-safety feature/System lock	<b>▼</b> /−	<b>▼</b> /-	●/-
Technical data  Tetal connected lead in IAMA/alters in M/Fues reting in A	2.1/230/10	2.1/230/10	2.2/230/10
Total connected load in kW/Voltage in V/Fuse rating in A	2.1/230/10	Z. 1/23U/ 1U	Z.Z/Z3U/ IU
Colours			
Brilliant white/CleanSteel	●/-	●/●	●/-







# Built-under dishwashers, 60 cm







Model/Sales designation standard version (60 x 81 cm)	G 4920 U	G 4920 SCU	G 6100 SCU
Model/Sales designation XXL variant (60 x 85 cm XXL)	-	-	-
Construction type			
Freestanding dishwasher/Built-under Dishwasher	-/●	-/●	<b>-/●</b>
Integrated Dishwasher/Fully integrated Dishwasher	-/-	-/-	-/-
45cm Dishwasher/60cm Dishwasher	<b>-/•</b>	-/●	<b>-/●</b>
Design			
Fascia panel version/Operation	Straight/Push button	Straight/Push button	Straight/Push button
Display	3-digit 7-segment indicator	3-digit 7-segment indicator	3-digit 7-segment indicator
Convenience			
Knock2open	_	_	_
AutoClose/ComfortClose	_/•		_/ <b>●</b>
BrilliantLight/Salt container in door		_/_	
Operational dB (A) re 1 pW	46	46	45
Time left indicator/Delay start up to 24h/TimeControl	_/ <b>●</b> /_	_/ <b>●</b> /_	●/●/-
Functional check	Control display	Control display	Control display
Efficiency and sustainability		- Common display	ээтнэг альргау
Energy efficiency rating	3.5	3.5	3.5
WELS Water efficiency rating	5	5	5
Energy consumption in kWh/year	274	274	274
Water consumption in I/cycle	11.3	11.3	11.3
Consumption values with ThermoSave® in ECO programme in			
kWh	0.41	0.40	0.40
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®	_/_/●	-/-/●	-/-/●
Alternating spray arm technology/Half load	•/•	•/•	•/•
Quality of results	·		
AutoOpen drying	-	-	-
SensorDry/Recirculation turbothermic drying/			
Active condensation drying	_/_/●	_/_/●	●/●/_
Perfect GlassCare		_	•
Dishwashing programmes			
ECO/Sensor wash/Intensive 75°C	●/●/●	●/●/●	●/●/●
Light soiling 55°C/Sensor wash gentle/ Quick wash 40°C	●/●/_	●/●/_	●/●/●
Hygiene/SolarSave/Maintenance programme			
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)			
Programmes for special applications (e.g. Pasta/Paella)			
Rinse options		_	
Short/Intensive lower basket/Energy save/Extra dry	•/-/-	•/-/-	●/-/-/-
Soak/Pre-wash			
Basket design		<i></i>	
Cutlery loading	Cutlery basket	Cutlery tray	3D cutlery tray
Basket design	Comfort	Comfort	ExtraComfort
No. of standard place settings	14	14	14
Safety	14	14	14
WaterProof system	•	•	•
Check filter indicator			_
	<u>-</u>	<u> </u>	<u>−</u> •/–
Child-safety feature/System lock	<b>▼</b> /−	<b>▼</b> /-	●/-
Technical data  Total connected lead in I/M/A/altera in M/Tupe reting in A	0.1/020/10	0.1/020/10	0.0/020/10
Total connected load in kW/Voltage in V/Fuse rating in A	2.1/230/10	2.1/230/10	2.2/230/10
Colours			
Brilliant white/CleanSteel	<b>-/●</b>	<b>-/●</b>	<b>-/●</b>

















## Built-under dishwashers, 60 cm





Model/Sales designation standard version (60 x 81cm) Model/Sales designation XXL variant (60 x 85 cm XXL)	G 6300 SCU -	G 6305 SCU XXL
Construction type		
Freestanding dishwasher/Built-under Dishwasher	<b>-/•</b>	<b>-/•</b>
Integrated Dishwasher/Fully integrated Dishwasher	-/-	-/-
45cm Dishwasher/60cm Dishwasher	_/ <b>●</b>	-/●
Design		
Fascia panel version/Operation	Straight/Push button	Straight/Push button
Display	1-line text display	1-line text display
Convenience		
Knock2open	_	_
AutoClose/ComfortClose	<b>-/●</b>	_/ <b>●</b>
BrilliantLight/Salt container in door	_/_	
Operational noise dB (A) re 1 pW	44	44
Time left indicator/Delay start up to 24 h/TimeControl	●/●/-	●/●/-
Functional Check	Display	Display
Efficiency and sustainability		-13
Energy efficiency rating	3.5	3.5
WELS Water efficiency rating	5	5
Energy consumption in kWH/year	274	274
Water consumption in I/cycle	11.3	11.0
Consumption values with ThermoSave® in ECO programme in		
kWh	0.40	0.40
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®	●/●/●	●/●/●
Alternating spray arm technology/Half load	•/•	•/•
Quality of results		
AutoOpen drying	•	•
SensorDry/Recirculation turbothermic drying/		<del></del>
Active condensation drying	●/●/_	●/●/_
Perfect GlassCare	•	•
Dishwashing programmes		
ECO/Sensor wash/Pots and pans 75°C	●/●/●	●/●/●
Light soiling 55°C/Sensor wash gentle/Quick wash 40°C	●/●/●	●/●/●
Hygiene/SolarSave/Maintenance programme	_/•/•	_/ <b>-</b> /•/•
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)	_/ <b>●</b>	_/ <b>●</b>
Programmes for special applications (e.g. Pasta/Paella)		
Rinse options		
Short/Intensive lower basket/Energy save/Extra dry	●/-/●/-	●/-/●/-
Soak/Pre-wash	_/_	
Basket design		
Cutlery loading	3D cutlery tray	3D cutlery tray
Basket design	ExtraComfort	ExtraComfort
No. of standard place settings	14	15
Safety		
WaterProof system	•	•
Check filter indicator	•	•
Child-safety feature/System lock		•/-
Technical data		
Total connected load in kW/Voltage in V/Fuse rating in A	2.2/230/10	2.2/230/10
Total Collington load in KVV, Voltage III V/I use lating III A	L.L/200/10	2.2/200/10
Colours		



# Integrated dishwashers, 60 cm



Model/Sales designation standard version (60 x 81cm) Model/Sales designation XXL variant (60 x 85 cm XXL)	G 4920 i -	G 4920 SCi -	G 6100 SCi -
Construction type			
Freestanding dishwasher/Built-under dishwasher	-/-	-/-	-/-
Integrated dishwasher/Fully integrated dishwasher	•/-	●/-	●/-
45cm dishwasher/60cm dishwasher	<b>-/●</b>	_/●	_/●
Design			
Fascia panel version/Operation	Straight/Push button	Straight/Push button	Straight/Push button
Display	3-digit 7-segment indicator	3-digit 7-segment indicator	3-digit 7-segment indicator
Convenience			
Knock2open	_	_	_
AutoClose/ComfortClose	_/•	<b>-/●</b>	_/ <b>●</b>
BrilliantLight/Salt container in door	_/_	_/_	_/_
Operational noise dB (A) re 1 pW	46	46	45
Time left indicator/Delay start up to 24h/TimeControl	_/●/ <b>_</b>	_/●/ <b>_</b>	●/●/-
Functional check	Control display	Control display	Control display
Efficiency and sustainability			
Energy efficiency rating	3.5	3.5	3.5
WELS Water efficiency rating	5	5	5
Energy consumption in kWh/year	274	274	274
Water consumption in I/cycle	11.3	11.3	11.3
Consumption values with ThermoSave® in ECO programme in kWh	0.41	0.40	0.40
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®	_/_/•	_/_/●	_/_/•
Alternating spray arm technology/Half load	•/•	•/•	•/•
Quality of results			
AutoOpen drying	_	-	-
SensorDry/Recirculation turbothermic drying/			
Active condensation drying	<b>-/-/●</b>	_/_/●	●/●/_
Perfect GlassCare	_	_	•
Dishwashing programmes			
ECO/Sensor wash/Intensive 75°C	●/●/●	●/●/●	●/●/●
Light soiling 55°C/Sensor wash gentle/Quick wash 40°C	●/●/-	●/●/-	●/●/●
Hygiene/SolarSave/Maintenance programme	_/_/_	_/_/_	_/_/_
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)	_/_	_/_	
Programmes for special applications (e.g. Pasta/Paella)	_	_	
Rinse options			
Short/Intensive lower basket/Energy save/Extra dry	•/-/-/-	•/-/-/-	•/-/-
Soak/Pre-wash	_/_	_/_	_/_
Basket design			
Cutlery loading	Cutlery basket	Cutlery tray	3D cutlery tray
Basket design	Comfort	Comfort	ExtraComfort
No. of standard place settings	14	14	14
Safety			
WaterProof system	•	•	•
Check filter indicator			
Child-safety feature/System lock	•/-	•/-	•/-
Technical data			
Total connected load in kW/Voltage in V/Fuse rating in A	2.1/230/10	2.1/230/10	2.2/230/10
Colours			
Colouis			







# Integrated dishwashers, 60 cm



Model/Sales designation standard version (60 x 81cm) Model/Sales designation XXL variant (60 x 85 cm XXL)	G 6305 SCi XXL	G 6515 SCi XXL	G 6905 SCi XXL
Construction type			
Freestanding dishwasher/Built-under dishwasher	-/-	-/-	-/-
ntegrated dishwasher/Fully integrated dishwasher	●/-	●/-	●/-
45cm dishwasher/60cm dishwasher	_/ <b>●</b>	<b>-/●</b>	_/ <b>•</b>
Design			
Fascia panel version/Operation	Straight/Push button	Angled/Push button	Angled/Sensor touch
Display	1-line text display	1-line text display	SensorTronic display
Convenience			
Knock2open	_	_	_
AutoClose/ComfortClose	_/ <b>•</b>	<b>-/●</b>	●/●
BrilliantLight/Salt container in door	_/_	●/●	●/●
Operating noise dB (A) re 1 pW	44	44	43
Countdown indicator/Delay start up to 24 h/TimeControl	-/•/-	●/●/-	●/●/-
unctional check	Optical and acoustic	Optical and acoustic	Optical and acoustic
Efficiency and sustainability			
nergy efficiency rating	3.5	3.5	3.5
VELS Water efficiency rating	5.5	5.5	5.5
Energy consumption in kWh/year	282	282	282
Vater consumption in I/cycle	11	11	11
Consumption values with ThermoSave® in ECO programme in	<del></del>	<del></del> -	<del></del> -
kWh	0.43	0.43	0.43
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®	●/●/●	●/●/●	●/●/●
Alternating spray arm technology/Half load	●/●	•/•	•/•
Quality of results			
AutoOpen drying	•	•	•
SensorDry/Recirculation turbothermic drying/			
Active condensation drying			
Perfect GlassCare	•	•	•
Dishwashing programmes			
ECO/Sensor wash/Intensive 75°C	●/●/●		
ight soiling 55°C/Sensor wash gentle/Quick wash 40°C	●/●		
Hygiene/SolarSave/Maintenance programme	_/•/•	●/●/●	
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)	_/●	_/•	
Programmes for special applications (e.g. Pasta/Paella)	_		•
Rinse options			
Short/Intensive lower basket/Energy save/Extra dry	●/-/●/-	0/0/0/0	●/●/●/●
Soak/Pre-wash	-/-	-/-	●/●
Basket design			
Cutlery loading	3D cutlery tray	3D cutlery tray	3D cutlery tray
Basket design	ExtraComfort	PremiumComfort	PremiumComfort
No. of standard place settings	15	15	15
Safety			
Vaterproof system	•	•	•
Check filter indicator	•	•	•
Child-safety feature/System lock	•/-	●/-	•/•
echnical data			
otal connected load in kW/Voltage in V/Fuse rating in A	2.2/230/10	2.2/230/10	2.2/230/10
Colours			
Brilliant white/CleanSteel	<b>-/●</b>	<b>-</b> /●	<b>-/</b> ●
Optional modular fascia panels			
Brilliant white/Obsidian black	•/•	•/-	



# Integrated dishwashers, 45 cm



Construction type Freestanding dishwasher/Built-under dishwasher  Integrated dishwasher/Built integrated dishwasher  45cm dishwasher/60cm dishwasher  Pascia panel version/Operation  Display  Fascia panel version/Operation  Display  Gonvenience  Knock2open  AutoClose/ComfortClose  FaliiliantLight/Salt container in door  Operating noise dB (A) re 1 pW  Countdown indicator/Delay start up to 24 h/TimeControl  Functional check  Efficiency and sustainability  Energy efficiency rating  WELS Water efficiency rating  As Selevity of the sustainability or sustainer with EcoStart/EcoFeedback/ThermoSave® in ECO programme in kWh  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light solling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Basket design  Cutlery loading  Basket design  Cutlery fray  Basket design  Cutlery fray  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Basket design  Cutlery loading  Basket design  Cutlery loading  Extra Qualing  Cutlery tray  Basket design  Cutlery fray  Basket design  Cutlery fray  Basket design  Cutlery feature/System lock  Child-safety feature/System lock  Colours  Colours  Colours	Model/Sales designation standard version (45 x 81cm) Model/Sales designation XXL variant (60 x 85 cm XXL)	G 4700 SCi -
Integrated dishwasher/Fully integrated dishwasher  ### A5cm dishwasher/60cm dishwasher  ### Design  Fascia panel version/Operation  Display  Gonvenience  Knock2open  AutoClose/ComfortClose  AutoClo	Construction type	
Ascm dishwasher/60cm dishwasher   Pisagin   Straight/Push button	Freestanding dishwasher/Built-under dishwasher	
Pessign Fascia panel version/Operation Display Convenience Knock2open AutoClose/ComfortClose FilliantLight/Salt container in door Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl Functional check Fificiency and sustainability Energy efficiency rating WELS Water efficiency rating WELS Water efficiency rating WELS water efficiency rating Water consumption in kWh/year Water consumption in kWh/year Water consumption in l/cycle Consumption values with ThermoSave® in ECO programme in kWh Rilimer with EcoStart/EcoFeedback/ThermoSave® AutoOpen drying AutoOpen drying Active condensation drying Perfect GlassCare Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light solling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme ECO/Sensor wash/Intensive 75°C Light solling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme Fishar quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Basket design Cutlery loading Basket design Cutlery loading Basket design Chack filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	Integrated dishwasher/Fully integrated dishwasher	●/-
Fascia panel version/Operation Display 3-digit 7-segment indicator Convenience Knock2open AutoClose/ComfortClose BrilliantLight/Salt container in door Operating noise dB (A) re 1 pW 46 Countdown indicator/Delay start up to 24 h/TimeControl Functional check Control display Efficiency rating MELS Water efficiency rating MeLS Water efficiency rating Method Salt Marker efficiency Method Salt Marker efficiency rating M	45cm dishwasher/60cm dishwasher	●/_
Display Convenience KnockZopen AutoClose/ComfortClose BrilliantLight/Salt container in door Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl Functional check Efficiency and susainability Energy efficiency rating WELS Water efficiency rating Wels Water consumption in kWh/year Water consumption in klybryear Water consumption values with ThermoSave® in ECO programme in kWh FlexiTimer with EcoStart/EcoFeedback/ThermoSave® AutoOpen drying SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare Bishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Basket design Cutlery loading Basket design Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	Design	
Convenience       -         KnockZopen       -/●         AutoClose/ComfortClose       -/●         BrilliantLight/Salt container in door       -/-         Operating noise dB (A) re 1 pW       46         Countdown indicator/Delay start up to 24 h/TimeControl       ●/●/-         Functional check       Control display         Efficiency and sustainability       Control display         Energy efficiency rating       3         WELS Water efficiency rating       4.5         Energy consumption in kWh/year       225         Water consumption in l/cycle       9.4         Consumption values with ThermoSave® in ECO programme in kWh       0.35         FlexiTimer with EcoStart/EcoFeedback/ThermoSave®       -/-/-●         Alternating spray arm technology/Half load       ●/●         Quality of results       4         AutoOpen drying       -         SensorDry/Recirculation turbothermic drying/       -         Active condensation drying       -         SensorDry/Recirculation turbothermic drying/       -         Active condensation drying       -         ECO/Sensor wash/Intensive 75°C       ●/●/-         Light solling 55°C/Sensor wash gentle/Quick wash 40°C       ●/●/-         Hygiene/SolarSave/Maintenance p	Fascia panel version/Operation	Straight/Push button
Knock2open	Display	3-digit 7-segment indicator
AutoClose/ComfortClose BrilliantLight/Salt container in door Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl  Functional check Efficiency and sustainability Energy efficiency rating WELS Water efficiency rating 3 WELS Water efficiency rating Energy consumption in kWh/year 225 Water consumption in l/cycle Consumption values with ThermoSave® in ECO programme in kWh Consumption values with ThermoSave® in ECO programme in kWh Alternating spray arm technology/Half load  Quality of results AutoOpen drying Active condensation drying Perfect GlassCare Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Rhinse options Short/Intensive lower basket/Energy save/Extra dry Soak/Pre-wash Basket design Cutlery loading Basket design Cutlery loading Basket design Cutlery loading Basket design Check filter indicator  Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	Convenience	
BrilliantLight/Salt container in door Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl Functional check Efficiency and sustainability Energy efficiency rating 3 WELS Water efficiency rating 4.5 Energy consumption in kWh/year 225 Water consumption in kWh/year 225 Water consumption in l/cycle Consumption values with ThermoSave® in ECO programme in kWh KWh Now the Costart/EcoFeedback/ThermoSave® Alternating spray arm technology/Half load Quality of results AutoOpen drying SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme =-/ Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry Soak/Pre-wash Basket design Cutlery loading Basket design Cutlery loading Basket design Cutlery loading Basket design Cutlery loading Safety Waterproof system ● Check filter indicator − Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	Knock2open	_
Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl  Functional check Efficiency and sustainability Energy efficiency rating  WELS Water efficiency rating 3 WELS Water efficiency rating 4.5 Energy consumption in kWh/year Water consumption in livcycle Consumption values with ThermoSave® in ECO programme in kWh 0.35 FlexiTimer with EcoStart/EcoFeedback/ThermoSave® Alternating spray arm technology/Half load Quality of results AutoOpen drying SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare  Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme = -/-/- Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry  Basket design Cutlery loading Cutlery loading Basket design Cutlery loading Safety Waterproof system ● Check filter indicator Child-safety feature/System lock Polenhical data Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10		<b>-/●</b>
Operating noise dB (A) re 1 pW Countdown indicator/Delay start up to 24 h/TimeControl  Functional check Efficiency and sustainability Energy efficiency rating  WELS Water efficiency rating 3 WELS Water efficiency rating 4.5 Energy consumption in kWh/year Water consumption in livcycle Consumption values with ThermoSave® in ECO programme in kWh 0.35 FlexiTimer with EcoStart/EcoFeedback/ThermoSave® Alternating spray arm technology/Half load Quality of results AutoOpen drying SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare  Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme = -/-/- Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry  Basket design Cutlery loading Cutlery loading Basket design Cutlery loading Safety Waterproof system ● Check filter indicator Child-safety feature/System lock Polenhical data Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	BrilliantLight/Salt container in door	_/_
Countdown indicator/Delay start up to 24 h/TimeControl Functional check  Efficiency and sustainability Energy efficiency rating WELS Water efficiency rating WELS Water efficiency rating WELS Water consumption in kWh/year Water consumption in l/cycle Consumption values with ThermoSave® in ECO programme in kWh Consumption values with ThermoSave® in ECO programme in kWh RIEMATIMER with EcoStart/EcoFeedback/ThermoSave® Alternating spray arm technology/Half load Quality of results AutoOpen drying Active condensation drying Perfect GlassCare Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry Soak/Pre-wash Basket design Cutlery loading Cutlery loading Basket design Cutlery loading Cutlery fray ExtraComfort No. of standard place settings Basket design Cutlery loading Cutlery fray Cutlery fray Basket design Cutlery fray Basket design Cutlery loading Cutlery fray Cutler	<u> </u>	46
Functional check  Efficiency and sustainability  Energy efficiency rating  Energy consumption in kWh/year  Energy consumption in kWh/year  Energy consumption in kWh/year  Energy consumption in kWh/year  Energy consumption in l/cycle  Consumption values with ThermoSave® in ECO programme in kWh  KWh  ElexiTimer with EcoStart/EcoFeedback/ThermoSave®  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  Energy condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light solling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash  Basket design  Cutlery loading  Basket design  Cutlery loading  Basket design  No. of standard place settings  Materrorof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10		●/●/-
Efficiency and sustainability Energy efficiency rating  WELS Water efficiency rating  WELS Water efficiency rating  3 WELS Water efficiency rating  4.5 Energy consumption in kWh/year  225 Water consumption in I/cycle  Onsumption values with ThermoSave® in ECO programme in kWh  ElexiTimer with EcoStart/EcoFeedback/ThermoSave®  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash  Basket design  Cutlery loading  ExtraComfort  No. of standard place settings  Materproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	, ,	
Energy efficiency rating  WELS Water efficiency rating  A.5  Energy consumption in kWh/year  Water consumption in l/cycle  Consumption values with ThermoSave® in ECO programme in kWh  River with EcoStart/EcoFeedback/ThermoSave®  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  AutoOpen drying  Perfect GlassCare  Bishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Finse options  Short/Intensive lower basket/Energy save/Extra dry  Basket design  Cutlery loading  Basket design  Cutlery system  Ohc of standard place settings  Hold of the Alternation of the control of th		
WELS Water efficiency rating Energy consumption in kWh/year Water consumption in l/cycle Consumption values with ThermoSave® in ECO programme in kWh  Consumption values with ThermoSave® in ECO programme in kWh  D.35  FlexiTimer with EcoStart/EcoFeedback/ThermoSave® -//● Alternating spray arm technology/Half load Quality of results AutoOpen drying -SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare  Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme Extra quiet 38 dB(A/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash Basket design Cutlery loading Cutlery loading Cutlery loading ExtraComfort No. of standard place settings Safety Waterproof system Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A  225  4.5  9.4  4.5  9.4  9.4  9.4  9.4  9.	•	3
Energy consumption in kWh/year  Water consumption in l/cycle  Consumption values with ThermoSave® in ECO programme in kWh  RWh  0.35  FlexiTimer with EcoStart/EcoFeedback/ThermoSave®  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light solling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  O-/-/  Soak/Pre-wash  Basket design  Cutlery loading  Cutlery tray  Basket design  Cutlery factomfort  No. of standard place settings  Materproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	· · ·	
Water consumption in I/cycle Consumption values with ThermoSave® in ECO programme in kWh No.35 FlexiTimer with EcoStart/EcoFeedback/ThermoSave® -/-/● Alternating spray arm technology/Half load Quality of results AutoOpen drying -SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme -/-/- Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry Soak/Pre-wash Basket design Cutlery loading ExtraComfort No. of standard place settings Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	, <u>, , , , , , , , , , , , , , , , , , </u>	
Consumption values with ThermoSave® in ECO programme in kWh  FlexiTimer with EcoStart/EcoFeedback/ThermoSave®  -/-/●  Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  -/-/-  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash  Basket design  Cutlery loading  ExtraComfort  No. of standard place settings  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	, ,	
kWh FlexiTimer with EcoStart/EcoFeedback/ThermoSave® Alternating spray arm technology/Half load  Quality of results AutoOpen drying SensorDry/Recirculation turbothermic drying/ Active condensation drying Perfect GlassCare  Dishwashing programmes ECO/Sensor wash/Intensive 75°C Light soiling 55°C/Sensor wash gentle/Quick wash 40°C Hygiene/SolarSave/Maintenance programme -/-/- Extra quiet 38 dB(A)/Extra quiet 40 dB(A) Programmes for special applications (e.g. Pasta/Paella) Rinse options Short/Intensive lower basket/Energy save/Extra dry  Dasket design Cutlery loading Basket design Cutlery tray Basket design Cu		
Alternating spray arm technology/Half load  Quality of results  AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  O-/  Basket design  Cutlery loading  Basket design  Cutlery loading  Cutlery loading  Basket design  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10		0.35
Quality of results         AutoOpen drying       -         SensorDry/Recirculation turbothermic drying/       •/●/-         Active condensation drying       •/●/-         Perfect GlassCare       •         Dishwashing programmes       •         ECO/Sensor wash/Intensive 75°C       •/●/•         Light soiling 55°C/Sensor wash gentle/Quick wash 40°C       •/●/•         Hygiene/SolarSave/Maintenance programme       -/-/-         Extra quiet 38 dB(A)/Extra quiet 40 dB(A)       -/-         Programmes for special applications (e.g. Pasta/Paella)       -         Rinse options       -/-         Short/Intensive lower basket/Energy save/Extra dry       •/-/         Soak/Pre-wash       -/-         Basket design       Cutlery tray         Basket design       Cutlery tray         Basket design       10         Safety       Waterproof system         Check filter indicator       -         Check filter indicator       -         Child-safety feature/System lock       •/-         Technical data       Total connected load in kW/Voltage in V/Fuse rating in A       2.2/230/10	FlexiTimer with EcoStart/EcoFeedback/ThermoSave®	-/-/•
AutoOpen drying  SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A   ■ ●  ■ ●  ■ ●  ■ ●  ■ ●  ■ ●  ■ ●	Alternating spray arm technology/Half load	●/●
SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  D-/-/-  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	Quality of results	
SensorDry/Recirculation turbothermic drying/ Active condensation drying  Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  D-/-/-  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	AutoOpen drying	_
Active condensation drying Perfect GlassCare  Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  OI—I—I  Basket design  Cutlery loading  Cutlery loading  Basket design  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A   O ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	SensorDry/Recirculation turbothermic drying/	
Dishwashing programmes  ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  -/-/-  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  O-/-/-  Basket design  Cutlery loading  Cutlery loading  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A   ■ (●-()-(		●/●/_
ECO/Sensor wash/Intensive 75°C  Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  -/-/-  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  O-/-/-  Basket design  Cutlery loading  Cutlery loading  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	Perfect GlassCare	•
Light soiling 55°C/Sensor wash gentle/Quick wash 40°C  Hygiene/SolarSave/Maintenance programme  -/-/-  Extra quiet 38 dB(A)/Extra quiet 40 dB(A)  Programmes for special applications (e.g. Pasta/Paella)  Rinse options  Short/Intensive lower basket/Energy save/Extra dry  Soak/Pre-wash  Basket design  Cutlery loading  Cutlery loading  ExtraComfort  No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  ■ ●●●●●●  ●●●●●●●●  ●●●●●●●  ●●●●●●●  ●●●●	Dishwashing programmes	
Hygiene/SolarSave/Maintenance programme	ECO/Sensor wash/Intensive 75°C	●/●/●
Hygiene/SolarSave/Maintenance programme	Light soiling 55°C/Sensor wash gentle/Quick wash 40°C	●/●/●
Extra quiet 38 dB(A)/Extra quiet 40 dB(A) -/- Programmes for special applications (e.g. Pasta/Paella) -  Rinse options Short/Intensive lower basket/Energy save/Extra dry •/-/- Soak/Pre-wash -/- Basket design Cutlery loading Cutlery tray Basket design No. of standard place settings Safety Waterproof system • Check filter indicator - Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A	<u> </u>	_/_/_
Programmes for special applications (e.g. Pasta/Paella)  Rinse options Short/Intensive lower basket/Energy save/Extra dry Soak/Pre-wash Basket design Cutlery loading Basket design Cutlery loading Cutlery tray Basket design 10 Safety Waterproof system Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A	, ,	_/_
Rinse options Short/Intensive lower basket/Energy save/Extra dry Old/Pre-wash Basket design Cutlery loading Cutlery loading Basket design ExtraComfort No. of standard place settings Safety Waterproof system Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A  Old/Pre-Vashet/Lorender Old/Pr		- <del></del>
Short/Intensive lower basket/Energy save/Extra dry         ●/-/-           Soak/Pre-wash         -/-           Basket design         Cutlery tray           Basket design         ExtraComfort           No. of standard place settings         10           Safety         Waterproof system           Check filter indicator         -           Child-safety feature/System lock         ●/-           Technical data         Total connected load in kW/Voltage in V/Fuse rating in A         2.2/230/10		
Soak/Pre-wash Basket design Cutlery loading Cutlery loading Cutlery tray Basket design ExtraComfort No. of standard place settings Safety Waterproof system Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A  -/-	•	•/-/-/-
Basket design Cutlery loading Cutlery loading Cutlery tray  Basket design ExtraComfort  No. of standard place settings 10  Safety Waterproof system Check filter indicator Child-safety feature/System lock Technical data Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10		
Cutlery loading     Cutlery tray       Basket design     ExtraComfort       No. of standard place settings     10       Safety       Waterproof system     ●       Check filter indicator     -       Child-safety feature/System lock     ●/-       Technical data     -       Total connected load in kW/Voltage in V/Fuse rating in A     2.2/230/10		,
Basket design ExtraComfort  No. of standard place settings 10  Safety  Waterproof system • Check filter indicator - Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	•	Cutleny tray
No. of standard place settings  Safety  Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  10	, ,	
Safety       Waterproof system     ●       Check filter indicator     -       Child-safety feature/System lock     ●/-       Technical data     Total connected load in kW/Voltage in V/Fuse rating in A     2.2/230/10	<u> </u>	
Waterproof system  Check filter indicator  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	· •	10
Check filter indicator –  Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	•	
Child-safety feature/System lock  Technical data  Total connected load in kW/Voltage in V/Fuse rating in A  2.2/230/10	' '	
Technical data Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10		
Total connected load in kW/Voltage in V/Fuse rating in A 2.2/230/10	• •	▼/-
		0.0/000/10
Colours		2.2/230/10
	Colours	
Brilliant white/CleanSteel –/●	Brilliant white/CleanSteel	_/●











# Fully integrated dishwashers, 60 cm







Model/Sales designation standard version (60 x 81 cm)	G 4960 Vi	G 4960 SCVi	G 6160 SCVi
Model/Sales designation XXL variant (60 x 85 cm XXL)	-	-	-
Construction type			
Freestanding dishwasher/Built-under dishwasher			
Integrated dishwasher/Fully integrated dishwasher	_/•	_/•	
45cm dishwasher/60cm dishwasher	-/•	-/•	-/•
Design			
Fascia panel version/Operation	Fully integrated/ Concealed push button	Fully integrated/ Concealed push button	Fully integrated/ Concealed push button
Display	3-digit 7-segment indicator	3-digit 7-segment indicator	3-digit 7-segment indicator
Convenience	3-digit 1-segment indicator	3-digit 1-segment indicator	5-digit 7-segment indicator
Knock2open		_	
AutoClose/ComfortClose			_/•
BrilliantLight/Salt container in door			
Operational noise dB (A) re 1 pW	46	46	45
Time left indicator/Delay start up to 24 h/TimeControl	<b>●</b> /●/ <b>-</b>	●/●/-	<del></del> <del></del> <del></del>
Functional check	Optical and acoustic	Optical and acoustic	Optical and acoustic
Efficiency and sustainability	Optical and acoustic	Optical and acoustic	Optical and acoustic
•	3.5	3.5	3.5
Energy efficiency rating			
WELS Water efficiency rating	<del>5</del> 274	<del>5</del> 274	<del>5</del> 274
Energy consumption in kWh/year Water consumption in l/cycle	11.3		
. ,		11.3	11.3
Consumption values with ThermoSave® in ECO programme in kWh	0.41	0.40	0.40
FlexiTimer with EcoStart/EcoFeedback/ThermoSave®			
Alternating spray arm technology/Half load			
Quality of results	3,0	3,0	3,5
AutoOpen drying	_	_	_
SensorDry/Recirculation turbothermic drying/			<del>-</del>
Active condensation drying	_/_/●	_/_/●	●/●/_
Perfect GlassCare			•
Dishwashing programmes			
ECO/Sensor wash/Intensive 75°C	●/●/●	●/●/●	●/●/●
Light soiling 55°C/Sensor wash gentle/Quick wash 40°C	<b>●/●/-</b>	<b>●/●/</b> =	•/•/•
Hygiene/SolarSave/Maintenance programme			
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)			
Programmes for special applications (e.g. Pasta/Paella)			
Rinse options		_	_
Short/Intensive lower basket/Energy save/Extra dry	•/-/-	•/-/-	●/-/-/-
Soak/Pre-wash			
Basket design	,	· ·	,
Cutlery loading	Cutlery basket	Cutlery tray	3D cutlery tray
Basket design	Comfort	Comfort	ExtraComfort
No. of standard place settings	14	14	14
Safety	17	17	17
WaterProof system	•	•	•
Check filter indicator	<del>-</del>	_ <del>_</del>	- <del>-</del>
Child-safety feature/System lock			
Technical data	-, <del>-</del>	-, <del>-</del>	-/ <del>-</del>
	2.1/220/10	2.1/220/10	2.2/220/10
Total connected load in kW/Voltage in V/Fuse rating in A	2.1/230/10	2.1/230/10	2.2/230/10



















# Fully integrated dishwashers, 60 cm



Model/Sales designation standard version (60 x 81 cm) Model/Sales designation XXL variant (60 x 85 cm XXL)	G 6365 SCVi XXL	G 6587 SCVi XXL	G 6995 SCVi XXL
Construction type			
Freestanding dishwasher/Built-under dishwasher	-/-	-/-	-/-
Integrated dishwasher/Fully integrated dishwasher	-/●	-/●	<b>-/●</b>
45cm dishwasher/60cm dishwasher	<b>-/•</b>	-/●	<b>-/●</b>
Design			
	Fully integrated/	Fully integrated/	Fully integrated/
Fascia panel version/Operation	Concealed push button	Concealed push button	Touch on metal
Display	1-line text display	1-line text display	SensorTronic display
Convenience			
Knock2open	<u> </u>		
AutoClose/ComfortClose	_/●	<b>●/●</b>	•/•
BrilliantLight/Salt container in door		<b>●/●</b>	<b>●/●</b>
Operating noise dB (A) re 1 pW	44	44	43
Countdown indicator/Delay start up to 24 h/TimeControl	●/●/_	●/●/_	●/●/●
Functional check	Optical and acoustic	Optical and acoustic	Optical and acoustic
Efficiency and sustainability			
Energy efficiency rating	3.5	3.5	3.5
VELS Water efficiency rating	5.5	5.5	5.5
Energy consumption in kWh/year	282	282	282
Vater consumption in I/cycle	11	11	11
Consumption values with ThermoSave® in ECO programme in			
kWh	0.43	0.43	0.43
lexiTimer with EcoStart/EcoFeedback/ThermoSave®	●/●/●		•/•/•
Alternating spray arm technology/Half load	●/●	●/●	●/●
Quality of results			
AutoOpen drying			
SensorDry/Recirculation turbothermic drying/			
Active condensation drying	●/●/-		
Perfect GlassCare	•	•	•
Dishwashing programmes			
ECO/Sensor wash/Intensive 75°C	●/●/●	●/●/●	●/●/●
ight soiling 55°C/Sensor wash gentle/Quick wash 40°C	●/●/●	●/●/●	●/●/●
Hygiene/SolarSave/Maintenance programme	_/•/•	●/●/●	●/●/●
Extra quiet 38 dB(A)/Extra quiet 40 dB(A)	_/•	<b>-/●</b>	
Programmes for special applications (e.g. Pasta/Paella)		_	•
Rinse options			
Short/Intensive lower basket/Energy save/Extra dry	●/-/●/-	●/●/●/●	●/●/●/●
Soak/Pre-wash	_/_	_/_	•/•
Basket design			
Cutlery loading	3D cutlery tray	3D cutlery tray	3D cutlery tray
Basket design	ExtraComfort	PremiumComfort	PremiumComfort
lo. of standard place settings	15	15	15
Safety			
Vaterproof system	•	•	•
Check filter indicator	•	•	•
Child-safety feature/System lock	_/_	_/_	●/●
Technical data			
Total connected load in kW/Voltage in V/Fuse rating in A	2.2/230/10	2.2/230/10	2.2/230/10



## Professional dishwashers





Model/Sales designation standard version (60 x 81 cm)	DC 0000 CC: VVI Drofil inc	PG 8083 SCVi XXL ProfiLine
Model/Sales designation XXL variant (60 x 85 cm XXL)	PG 8082 SCi XXL ProfiLine	PG 8083 SCVI XXL ProfiLin
Construction type		/
Freestanding dishwasher/Built-under dishwasher	_/_	
Integrated dishwasher/Fully integrated dishwasher	•/-	
45cm dishwasher/60cm dishwasher	_/•	_/•
Design		
Fascia panel version/Operation	Slanted/Push button	Slanted/Push button
Display	1-line text display	3-digit 7-segment indicator
Convenience		
Knock2open	<del>_</del>	_ <del>_</del>
AutoClose/ComfortClose	_/•	_/•
BrilliantLight/Salt container in door	●/●	●/●
Operational noise dB (A) re 1 pW	49	49
Time left indicator/Delay start up to 24 h/TimeControl	●/●/-	●/●/-
Optional washing with liquid deteregent (with G 60 SEMI)	•	•
Efficiency and sustainability		
Energy efficiency rating	2.5	2.5
WELS Water efficiency rating	2	2
Energy consumption in kWh/year	386	386
Water consumption in I/cycle	19.1	19.1
Quality of results		
AutoOpen drying	•	•
SensorDry/Recirculation turbothermic drying/		
Active condensation drying	_/●/_	_/●/_
Extra Drying	•	•
Perfect GlassCare	•	•
Dishwashing programmes		
Number of programmes	9	9
Intensive	Intensive/Hygiene 82°C	Intensive/Hygiene 82°C
Quick wash	Short/Medium 65°C	Short/Medium 65°C
Gentle wash for glasses	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C
Displayed programme	ECO 48°C	ECO 48°C
Special programmes	Cold/ Pre-Wash	Cold/ Pre-Wash
Shortest cycle (for hot water connection)	20	20
Basket design		
Cutlery loading	3D cutlery tray	3D cutlery tray
Basket design	Comfort	Comfort
No. of standard place settings	14	14
Safety		
Waterproof system	•	•
waterproof system		Sound control with volume
Function control	Display	option and optical indicators
Door lock/Spray arm control	●/-	-/Middle
Safe according to the norm 2006/42/EG		• ————————————————————————————————————
Technical data	-	-
Total connected load in kW/Voltage in V/Fuse rating in A	5.3/230/25*	5.3/230/25*
<u> </u>	J.J/2JU/2J	J.J/ 200/ 20
Colours		

### Accessories for dishwashers



### Cutlery basket for lower basket GBU 5000

For additional cutlery capacity in the lower basket

- Cutlery basket can be positioned conveniently in the lower basket
- For Miele generation 5000 and 6000 dishwashers
- For perfectly positioning, for example, awkward items of cutlery

M.-Nr. 7.823.150



#### Stemware rails for lower basket GGU 5000

For long-stem and tall glasses

- For a secure hold for fine glassware
- Perfectly sparkling guaranteed
- For Miele generation 5000 and 6000 dishwashers

M.-Nr. 7.823.180



### Dishwasher building-under kit UBS G 60-1

For the perfect installation of a built-under freestanding dishwasher

- 1 appliance with 2 installation options to suit individual requirements
- Contents: skids, depth-adjustable plinth and vapour protection
- Suitable for all Miele freestanding dishwashers

M.-Nr. 6.390.810



### Dishwasher conversion kit UBS-1

For perfectly adjusting appliance height to the cabinetry recess

- Conversion kit for extending plinth height
- 4 machine feet, extendable by 60 mm
- Suitable for all Miele dishwashers

M -Nr 6 394 761



### Dishwasher skids GK 60-1

For protecting the floor perfectly during installation

- Particularly gentle on, for example, PVC floors
  Simplifies the installation as unevenness of
- Simplifies the installation as unevenness of floors is reduced
- Prevents impressions in and scratches to the floor during the installation of the appliance
- Suitable for all Miele dishwashers

M.-Nr. 6.394.740



### Dishwasher installation kit MSHE 601-1

For perfect installation in a tall unit with an additional dresser unit

- Raised appliances perfect protection against damp
- Contents: steam deflector strip, brackets, plugs and screws
- Suitable for 60 cm wide Miele integrated dishwashers

M.-Nr. 6.517.920



### Dishwasher installation kit MSHE 602-1

For perfect installation in a tall unit with an additional niche for a built-in appliance

- Raised appliances perfect protection against damp
- Contents: steam deflector strip, brackets, plugs and screws
- Suitable for 60 cm wide Miele integrated dishwashers

M.-Nr. 6.597.200

### Accessories for dishwashers



### **Build-under decor set**

For the perfect conversion of an integrated dishwasher into a built-under appliance.

• Creation of built-under dishwasher using a

- Creation of built-under dishwasher using a combination of a GDU set and an integrated appliance.
- Can accommodate decor panels with a thickness of up to 4 mm.
- Contents: Decor set and depth-adjustable plinth.

GDU 60/60-1: W x H, 60 x 60 cm Suitable for 60 cm wide Miele integrated dishwashers Brilliant White, M.-Nr. 7.160.810 Black, M.-Nr. 6.390.740



### Front panels for integrated dishwashers

With stainless steel and CleanSteel finish.

- Perfect design harmony of front panels and fascia panel.
- Simple removal of finger prints stainless steel with CleanSteel finish.
- Suitable for 60 cm wide Miele integrated dishwashers.

**GFV 60/57-1: W x H, 60 x 57 cm** M.-Nr. 7.149.240

Suitable for 45 cm wide Miele integrated dishwashers

**GFV 45/60-1: W x H, 45 x 60 cm** M.-Nr. 7.160.830



### Front panels for fully integrated dishwashers

In stainless steel with CleanSteel finish, with PureLine handle.

- Perfect design harmony in the kitchen.
- Simple removal of finger prints stainless steel with CleanSteel finish.
- Including stainless steel PureLine handle and fittings.
- Suitable for 60 cm wide fully integrated Miele dishwashers

**GFVi 613/72-1: W x H, 60 x 72 cm** M.-Nr. 9.635.930

### Useful information

### Miele dishwasher glossary

### Dishwasher glossary

#### 3D cutlery tray1)



The 3D cutlery tray from Miele is unique: it is height, width and depth adjustable so that it can be perfectly adapted to suit any load. Even awkward items such as

soup ladles and whisks are easy to accommodate.

#### **AutoClose**



With Miele AutoClose, the dishwasher door closes both automatically and gently. This combines convenience with elegance, creating an almost magical moment in

kitchen life. Very slight pressure against the door is sufficient to activate the motorised door closing feature.

#### AutoOpen drying2)



The dishwasher door opens a fraction automatically at the end of a programme cycle. This allows fresh, dry air to enter the dishwasher, and even challenging items

such as plastics and glassware are perfectly dried. Special air ducting protects the worktop from moisture.

#### BrilliantLight3)



Thanks to the patented<sup>3)</sup> door controls, 4 power LEDs switch on gradually when the dishwasher door is opened. The 4 LEDs immerse the dishwasher interior in

brilliant light. The area in front of the dishwasher is also well lit, significantly improving loading and unloading.

#### ComfortClose



Benefit from the ease with which Miele's dishwasher door opens and closes. Convenient: the door stays open at the required position.

#### DeLuxe basket design

Basket handles, a redesigned lower basket and a whole host of functions in the upper basket: Miele dishwashers ring in a new era in basket design.

#### **EcoFeedback**



Dishwashers from Miele simplify your everyday tasks and allow you to wash dishes environmentally friendly. In the display, the EcoFeedback function shows you the

estimated water and electricity consumption in the selected programme. This allows you to choose the ecologically ideal programme. At the end of the programme you have the option to call up the actual consumption data.

### **Energy efficiency**

The energy label provides information at a glance on the energy consumption of a dishwasher. Miele machines combine top cleaning and drying results with extremely low electricity and water consumption:

• Annual energy consumption: 237 kWh • Annual water consumption: 2,716 litres

#### **ExtraQuiet**



Miele's ExtraQuiet programme produces sound emissions of only 38 dB(A) and is so quiet that you can hardly hear it. Ideal for open-plan kitchens and when the dishwasher is run overnight.

#### FlexiTimer with EcoStart



Miele dishwashers are even smarter with EcoStart. This function enables you to be environmentally friendly by using flexible tariffs and allows you to trust your

appliance with the selection of the cheapest electricity tariff for a programme, taking its running time into consideration. You can program three different tariffs and only have to determine the finishing time for the latest programme. The dishwasher then selects a starting time with the cheapest tariff within the programed time window.

#### Fresh water dishwashers with water consumption from 6.5 I

Miele dishwashers rely solely on fresh water and in the Sensor wash programme wash crockery with as little as 6.5 I of water much less than the contents of a sink. Consequently, Miele has reduced water consumption over the past 30 years by 85%. Electricity consumption is also reduced to new all-time lows: in the ECO programme, Miele dishwashers achieve energy consumption values of only 0.83 kWh.

#### Sound emissions



Miele dishwashers wash with sound emissions as low as 41 dB(A) particularly quiet, yet constantly achieve perfect results. This is even considerably quieter than a normal conversation.

#### Reduced load

Miele dishwashers automatically measure the amount of crockery in the cabinet and adjust water and electricity consumption accordingly. Thanks to the 'Reduced load' function, there is no longer any need to wait until a dishwasher is fully loaded.

### Knock2open4)



Not wizardry, just Miele: Knock2open turns a handleless kitchen design into a magical experience and at the same time provides the perfect solution for a handleless

kitchen design. By tapping the front of the fully integrated Miele dishwasher twice, the door opens by about 10 cm completely automatically using a clever opening mechanism. A convenience you will enjoy every day.

#### Perfect GlassCare5)



Soft water enhances cleaning performance in a dishwasher but is aggressive to glassware.

Consequently, all Miele dishwashers feature Perfect

GlassCare technology. This helps protect glassware and keeps stemware looking as good as new for longer.

#### In-door salt container6)



The patented salt container is located in the dishwasher door; it can be conveniently filled with the door halfopen and without having to bend down.

#### Sensor Dry7)

The ambient temperature in your kitchen and the size of load may influence drying results. In the Sensor wash programme, SensorDry ensures perfect drying results even under unfavourable conditions.

#### **SolarSave**



Miele - simply unbeatable in terms of sustainability. The SolarSave feature is the ideal programme for households with heated water supplied by solar-thermal panels, a

heat pump or gas/oil central heating, as it makes use of the temperature of the incoming hot water. With intelligent programme navigation you achieve a sensationally low electricity consumption of 0.05 kWh per cycle.

### Delay start with integrated countdown indicator

With the 24 h delay start you can run your dishwasher whenever you need to, and use cheap electricity tariffs. The countdown indicator counts the duration of the programme backwards and displays how long the selected programme still has to run. This keeps the user informed of the programme status of the dishwasher.

#### **ThermoSave®**



Thanks to ThermoSave, all Miele dishwashers can be connected to hot water with a temperature of up to 60°C. This reduces electricity consumption by up to

40% and running times by up to 9%. Electricity consumption falls to as little as 0.4 kWh in the Eco programme.

#### **TimeControl**



Everything under control at a glance: the useful LED progress indicator for fully integrated dishwashers provides information on when the programme will finish.

One hour before the end of the programme, the LEDs start switching off individually from left to right at intervals of 20 minutes. When the programme has ended, the AutoOpen function automatically opens the door a fraction. TimeControl is ideal for all installation situations, even for raised machines or kitchens with a flush plinth.

#### Touch-on-Metal



This new user interface from Miele offers unparalleled convenience. It combines a high-quality flush design with an intuitive navigation interface from left to right.

The embossed controls of the stainless steel fascia panel are extremely easy to use and the settings are displayed on an LED indicator. The smooth surface of the elegant control panel is particularly easy to clean.

#### **Waterproof System**





To protect against flooding, all Miele dishwashers feature the Miele Waterproof System. If correctly installed, Miele offers a dishwasher-life-long8) guarantee for the Waterproof System.


- 1) DE102008062761B3, EP2201887B1
- 2) DE102007008950B4, EP2120671B1
- 3) EP2233061B1, US8297768B2
- 4) Patent pending: EP2428153A1, DE102010037397A1, US2012/0055091A1
- 5) EP2233061B1
- 6) EP1457153B1, US7124765B2
- 7) DE102006042486B3, EP1902659B1
- 8) Equates to 7,500 programme cycles


Features vary depending on model


# Installation diagrams

















### CareCollection - For the best cleaning results

Miele detergents, rinse aid and salt for Miele dishwashers

#### Perfect results

When selecting your dishwasher, you chose top Miele quality. However, the right choice of detergents, rinse aid and salt is also important to achieve optimum wash and drying results.

Not all off-the shelf detergents deliver the same results on all machines.

That is why Miele have introduced a range of detergents, rinse aid, salt and cleaning products specifically designed for Miele dishwashers.

These products were developed and tested in Miele's own in-house laboratories in cooperation with selected quality suppliers.

All formulations are perfectly geared to Miele dishwashers. This allows you to tap the potential of your Miele machines to the full and reduce the burden on the environment at the same time.

The perfect interplay of detergent and dishwasher:

Brilliant shine with every wash.

#### **Riedel recommends Miele**

Washing high-quality delicate wineglasses in a dishwasher? No problem with a Miele appliance! With a unique combination of intelligent features, Miele is the specialist when it comes to gentle care of glassware:

- 3D cutlery tray: sufficient clearance also for stemware
- DeLuxe baskets: secure positioning of wine glasses
- AutoOpen drying: gentle, brilliant drying without polishing
- Perfect GlassCare: long-lasting sparkling finish on glassware
- 'Gentle' programme: perfect glass care control
- CareCollection: perfectly matching detergents with special glass-protection formula

The result: sparkling clean glasses without polishing. No smears, no water stains, no glass breakage. Even after many years of dishwashing, your valuable glassware is as beautiful as on the day of purchase. Even high-quality, delicate stemware can be treated in a Miele dishwasher without any risk. This is confirmed by Riedel, manufacturer of wine glasses. Georg Riedel recommends that Riedel glasses



Perfect care for high-quality stemware. Riedel recommends Miele dishwashers



Optimum cleaning and gentle care for your delicate crockery and glassware



Perfect cleaning results, even with stubborn dirt

(hand-blown and machine-blown) be washed in a Miele dishwasher:
"That our high-end glassware can be perfectly and gently washed in a Miele is quite new to us. A Miele dishwasher makes perfect glass care easy. To ensure the gentle cleaning of our glasses, we exclusively recommend washing them in a Miele dishwasher. This produces better results than washing by hand."

















### Dishwasher Tabs 3 x 24 tabs

For the best results in Miele dishwashers.

- No need to unwrap thanks to water-soluble foil wrapping
- Spotless cleaning even in the face of stubborn soil
- · Contains salt substitutes to prevent scaling
- Glass protection formula prevents etching
- Special protection against stains on silverware and stainless steel
- Phosphate-free Good for the environment

### Dishwasher Powder 1.5 kg

For best results in Miele dishwashers.

- Super-active enzymes effective even at low temperatures
- Active oxygen for thorough cleanliness
- Glass protection formula prevents etching

### Dishwasher Rinse Aid 500 ml

For excellent drying and protection of crockery in Miele dishwashers.

- Spotless, sparkling finish on glassware
- Supports drying
- Glass protection formula prevents etching









### Dishwasher Salt 1.5 kg

For best results in Miele dishwashers.

- Extra coarse
- Prevents deposits

### Dishwasher and washing machine cleaner 250 g

For hygienic cleanliness in dishwashers and washing machines

- Removes grease, bacteria and unpleasant odours
- Effective and thorough cleaning thanks to special Miele formulation
- Guarantees perfect wash and/or rinse results
- Top care for many years of reliable service

### Dishwasher conditioning agent

Ensures the perfect functioning of your dishwasher

- Removes odours, limescale and light deposits
- Maintains elasticity of door gasket and ensures a good seal
- Active protection through cleanliness
- Ensures perfect machine performance special Miele formulation
- Top care for many years of reliable service



#### Descaler 250 g

Rids dishwashers and washing machines of dangerous scaling

- Mild and gentle thanks to natural citric acid
- Gentle on heater elements, drum and other components
- Ensures perfect machine performance special Miele formulation
- Top care for many years of reliable service



www.mieleshop.com.au

Miele's high-end CareCollection products can be ordered from the convenience of your own home. Visit our online shop: www.mieleshop.com.au





Miele Australia Pty. Ltd.

ACN 005 635 398 ABN 96 005 635 398

Miele Australia Pty. Ltd.

**Head Office** 1 Gilbert Park Drive Knoxfield VIC 3180

Telephone 1300 4 MIELE (1300 464 353)

**Miele Center Knoxfield** 

1 Gilbert Park Drive Knoxfield VIC 3180

Miele Center South Melbourne

206-210 Coventry Street South Melbourne VIC 3205

Miele Center and Office Sydney

3 Skyline Place Frenchs Forest NSW 2086

Miele Center and Office Brisbane

39 Harvey Street North Eagle Farm QLD 4009

Miele Experience Centre Gold Coast

131 Ferry Road Southport QLD 4215

Miele Center and Office Adelaide

83-85 Sir Donald Bradman Drive Hilton SA 5033

Miele Center and Office Perth

205-207 Stirling Highway Claremont WA 6010

www.miele.com.au

Miele New Zealand Limited

Miele Center and Head Office 8 College Hill Freemans Bay, Auckland, 1011

Telephone 0800 464 353

www.miele.co.nz

Miele Global Headquarters

Federal Republic of Germany

Miele & Cie. KG Carl-Miele-Strasse 29 33332 Gütersloh

#### **Foreign Sales Companies**

Miele Ges.m.b.H., Wals/Salzburg (AUS) Miele Australia Pty. Ltd.,

Melbourne

N.V. Miele S.A., Mollem

(B) (CDN) Miele Limited, Vaughan/Ontario Miele AG, Spreitenbach (CH) (CL) Miele Ltda., Santiago de Chile (CN) Miele Shanghai Trading Ltd., Shanghai

(CZ) Miele spol.s.r.o., Brno Miele & Cie. KG, Gütersloh (D) (DK) Miele A/S, Glostrup/Copenhagen

Miele S.A., Alcobendas/Madrid (E) (EST) Miele OÜ, Tallinn Miele S.A.S., (F)

Le Blanc-Mesnil/Paris (FIN) Miele Oy, Vantaa/Helsinki (GB) Miele Company Ltd., Abingdon

(GR) Miele Hellas E.P.E., Psychiko-Athens (H) Miele Kft., Budapest

(HK) Miele Hong Kong Ltd., Hong Kong (HR) Miele d.o.o., Zagreb Miele Italia S.R.L., Eppan (IND) Miele India Pvt Ltd., New Delhi (IRL) Miele Ireland Ltd., Dublin

Miele Japan Corp., Shibuya-ku/Tokyo

(KZ) Miele Liability Partnership, Almaty (L) Miele s.à.r.l., Luxembourg (LT) Miele Appliances UAB, Vilnius (LV) Miele SIA, Riga (MAL) Miele Sdn Bhd, Kuala Lumpur

(MEX) Miele S.A. de C.V., Mexico City Miele AS, Rud/Oslo (NL) Miele Nederland B.V., Vianen (NZ) Miele New Zealand Ltd.,

Auckland

(J)

(P) Miele Portuguesa Lda., Carnaxide/Lisbon (PL) Miele Sp. z o. o., Warsaw Miele Appliances S.R.L., Otopeni

(ROK) Miele Korea Ltd., Seoul (RU) 000 Miele CIS, Moscow Miele AB, Solna/Stockholm (S) (SGP) Miele Pte. Ltd., Singapore (SK) Miele spol.s.r.o., Bratislava (SLO) Miele d.o.o., Ljubljana (SRB) Miele d.o.o., Belgrad Miele Elektrikli Ltd. Sti., (TR)

Levent/Istanbul (UA) Miele LLC, Kiev

(UAE) Miele Appliances Ltd., Dubai (USA) Miele, Inc., Princeton/New Jersey

Miele (PTY) Ltd.. (ZA)

Bryanston/Johannesburg

