





## IMMER BESSER (forever better) - our pledge When our two great grandfathers were in the process of founding the Miele company, they had to make sure they stood apart from the competition in order to be successful. There are effectively only two ways of doing this: either by being cheaper than the rest or by being better than the rest. It is not really possible to be both at the same time. They decided to be "better" than the rest. Numerous best in class awards and certificates attest to the fact that Miele has continued to renew its commitment to being "immer besser" throughout the past 115 years. However, the millions of satisfied customers around the world are perhaps the most important endorsement. At the heart of this success lies a continuity of values and goals which are typically only found in companies which have been family-run for generations, rather than in businesses which are guided by the often short-term interests of the stock market. It is in this sense that Miele has embodied first-class product quality and German engineering since 1899. Miele also stands in equal measure for respect, fairness and mutual esteem towards sales partners, customers, suppliers, employees and neighbours. Buying a Miele is an environmentally friendly decision. We ensure this by using methods of production that save resources as well by producing products which set new standards in terms of their consumption of electricity, water and detergent - and save you money at the same time.\* As directors and co-proprietors of the fourth generation of our business we promise you that this will not change. Markens Miele Runikerd Ini Ram Dr. Markus Miele Dr. Reinhard Zinkann Please visit www.miele-sustainability.com for more information on our efforts and guiding principles

### **IMMER BESSER**

### Our brand promise

### There are many good reasons for choosing Miele.

Here are just six of them. Since the company was founded in 1899, Miele has remained true to its ,Immer Besser' brand promise. This means that we will do all that we can to be ,forever better' than our competitors and ,forever better' than we already are. For our customers this means the peace of mind of knowing that choosing Miele is a good decision – and probably the decision of a lifetime!



### The Miele brand

In many countries, Miele is the most desired brand in its field. In its German home market, Miele was even voted ,best brand ever' in 2013 across all product branches. And the ownership of products from such a brand reveals much about its users: Miele customers have high expectations for the performance, convenience, design and the environmental friendliness of their domestic appliances. People who buy Miele are quality conscious and have style!











### Miele quality

For more than 100 years it has been a proven adage that you can trust Miele and rely on our appliances. We are the only manufacturer in our branch of industry to test products such as our washing machines, tumble dryers, dishwashers and ovens to the equivalent of 20 years of use. Once a Miele, always a Miele: Miele customers around the world remain loyal to Miele and recommend Miele to others. Looking to the future, we promise not to entertain any compromises when it comes to quality and durability!

### Miele technology

Miele stands for excellent results combined with the lowest possible energy consumption. This goes for the hygienic and gentle care of your laundry, your flooring and your crockery as well as when conjuring up exquisite culinary delights. The key to this is a wealth of innovative features available only from Miele. This is borne out by numerous first places in leading product tests conducted around the world.

### Miele convenience

Whether conventional rotary switch, discreet sensor controls or a high-resolution touch display like the one on your smartphone: operating a Miele is both easy and fun. Add to this a multitude of convenient and reliable automatic programmes and a great love of detail - success is guaranteed - on board both laundry and kitchen appliances. Make life easier for yourself with Miele!

### Miele design

Miele believes in clean lines and timeless elegance. Nowhere else will you find such a comparable range of built-in kitchen appliances, with consistency in Design lines and colour options, to suit the most diverse of interior designs and kitchen furniture fronts. Great care is taken to coordinate appliance design across the range. Whatever the style of your kitchen: Miele is the perfect match.

### Miele service

Miele customers enjoy preferential treatment: thanks to our fast and efficient after-sales service operation which has been voted best in its branch of industry many times over. Even if you need personalised instructions on appliance use or professional cleaning of your machines, Miele will gladly make a home visit. We will always be there for you. That's a promise!

### Wide variety of models for modern lifestyles

Miele refrigerators, freezers and wine conditioning units



With its refrigeration appliances, Miele offers an extremely wide variety of models equipped with state-of-the-art technology and unique convenience. Every appliance was designed specifically for its purpose and to meet the highest of demands in terms of quality and durable functionality. The exceptional Miele design is easily recognisable – high-quality materials and clear lines throughout the entire appliance. That is Miele.



## Wide variety of models for modern lifestyles

Miele refrigerators, freezers and wine conditioning units













### Refrigerators

Miele refrigerators are designed to keep your groceries fresh in an efficient and well organised way. Intelligent PerfectFresh compartments guarantee that food is kept expertly fresh. Choose "Your Miele" from a wide range of appliances including 178 cm high integrated appliances and freestanding appliances from 182 cm to 185 cm high.

### Fridge-freezers

These appliances offer plenty of storage space for fresh food and frozen food, each section with its own door. Miele fridge-freezer combinations combine convenient, gentle storage of fresh food as well as frozen food in one appliance.

### Freezers

Miele freezers are powerful and efficient, and exemplary in terms of organisation and functionality. They can be set up as standalone appliances or combined with a matching Miele refrigerator. The exterior with its puristic, timeless design is simply striking and its inner values convince, for example, with a freezing temperature that can be regulated down to -26°C.

### Wine conditioning units

Miele wine conditioning units provide the optimum storage conditions for your wine collection. With individually controlled temperature zones for different types of wine, your reds and whites are guaranteed professional treatment. Not only does a Miele wine conditioning unit provide the best storage conditions for your wine, it will also look the part in your home.

## PerfectFresh

Pure enjoyment and natural taste!





### Purchased when fresh - but how do you retain the freshness?

Fresh food is the basis for wholesome, healthy living. Fruit and vegetables should be consumed when they are as crisp and as fresh as when they are purchased. But who has the time nowadays to buy ingredients fresh every day?

Apart from the quality of the food at the point of purchase, the right storage conditions are also important. The storage conditions determine how fresh, tasty and healthy food still is when preparing it for consumption. This is easily achieved with PerfectFresh.

### Clever cooling - healthy eating

PerfectFresh is the synonym for innovative food storage at Miele: a special cooling zone in Miele refrigerators which offers ideal storage conditions for a variety of food. Thanks to the PerfectFresh zone, many types of fruit and vegetables, meat, fish and milk products remain fresh considerably longer than in conventional refrigerators. At a temperature of between 0°C and 3°C, as well as ideal humidity levels, even sensitive food can be stored in ideal conditions and retain its freshness.

#### Food is valuable

In German households, 20% of all purchased food ends up being thrown away. One of the reasons is because they are not stored in ideal conditions and therefore spoil after a short while. Half of this food is fruit and vegetables. On average, every German disposes of over \$450 worth of food every year.

### You can improve on that - with PerfectFresh

Important vitamins and minerals are retained longer. Freshness you can see and taste!

## Highest level of expertise for fresh food

Dry and humidity-controlled compartment



In the PerfectFresh dry compartment, meat, fish and almost all dairy products are stored in ideal storage conditions: the temperature is maintained between 0°C and 3°C. When stored in the dry compartment, food is kept fresher for longer.

### **Humidity controlled compartment:**

The PerfectFresh humidity-controlled compartment has been designed specifically for storing fresh fruit and vegetables which require high humidity levels for perfect storage conditions. A storage temperature between 0°C and 3°C, as well as a humidity level of up to 90%\*, ensure that your food remains fresh considerably longer.





### Food stays fresh for longer

Foodstuff such as meat, fish and dairy products are stored under ideal conditions in the dry compartment. The low temperature between 0°C and 3°C ensures that your food remains fresh and retains its high quality for a long time. This results in less frequent trips to the shop and less waste, saving time and money for other nice things.

Tip: store food in its packaging or covered in the dry compartment, allowing humidity to remain inside the food and preventing the transfer of flavours and odours.

Use all your senses to ensure that the food is of high quality – independently from the best before date.

Food (examples)	Freshness retained longer than in refrigerator
Butter, yeast, sliced meat	Up to 1 week
Cream, butter, milk	Up to 2 weeks
Yoghurt, soft cheese	Up to 3 weeks



### Food remains fresh for longer than in a conventional refrigerator

The humidity-controlled compartment is perfect for storing fruit and vegetables. Stored at low temperatures and high humidity levels, your food remains fresh for longer.

Filling the drawer with fresh fruit and vegetables creates humidity which is maintained thanks to a special Miele design. This results in, for example, apples stored in the humidity-controlled drawer staying fresh for longer than when stored in a conventional refrigerator. Fresh fruit and vegetables always available from your refrigerator – crisp and tasty as if fresh from the market. Stored inside the humidity-controlled compartment, vitamins, texture and taste are retained longer.

Tip: place fruit and vegetables in their packaging in the drawer to allow humidity to develop. To ensure that a sufficient humidity level develops, the compartment should always be well stocked.

If required, this compartment can be turned into a dry compartment by adjusting the humidity level using the slide control.

Food (examples)	Freshness retained longer than in refrigerator
Lettuce, mushrooms, onions, strawberries, blueberries, nectarines	Up to 1 week
Asparagus, kale, plums, rhubarb, peaches, cherries	Up to 2 weeks
Pears, apples, carrots	Up to 4 months



### PerfectFresh Pro

Professional food storage with Miele






Through intensive research, Miele succeeded in developing the PerfectFresh freshness principle even further. The result: PerfectFresh Pro.

PerfectFresh Pro keeps fruit and vegetables fresh for even longer and therefore meets the highest of demands. This is achieved with an innovative compartment cover with Miele's special perforations. It maintains the climate inside the humidity-controlled drawer precisely.

Food* (examples)	PerfectFresh (freshness retained longer compared with a refrigerator)	PerfectFresh Pro (freshness retained longer compared with a refrigerator)
Lettuce, mushrooms, onions, strawberries, blueberries, nectarines	Up to 1 week	Up to 2 weeks
Asparagus, kale, plums, rhubarb, peaches, cherries	Up to 2 weeks	Up to 3 weeks

Professional food storage with PerfectFresh Pro. An innovation from Miele – the freshness expert.



<sup>\*</sup> Storage in full PerfectFresh / PerfectFresh Pro compartment and market-fresh produce

### User interfaces from Miele

Never before was the operation of refrigerators, freezers and wine conditioning units easier







### Miele touch controls

Miele touch controls for built-in appliances are design oriented. All key features look the same, achieving perfect design harmony in line with other Miele built-in appliances. Main functions can be quickly and directly accessed via the touch controls. All other functions are selected via the display.



### ComfortControl

ComfortControl allows the convenient setting of temperature, automatic SuperCool or buzzer via light-touch switches. LEDs indicate the temperature.



## Efficiency and sustainability

Saving energy the environmentally friendly way with Miele refrigerators and freezers





## Miele wine conditioning units

Wine conditioning units with style and many highlights





## Side-by-Side

Miele's wide range of refrigerators, freezers and wine conditioners





## Miele highlights for perfect results and more convenience

The product highlights\* of Miele refrigerators, freezers and wine conditioning units







Exclusive to Miele PerfectFresh Pro
For even more freshness:
innovative Miele technology keeps fruit
and vegetables fresh even longer.



Exclusive to Miele

Perfect glare-free lighting:
depending on the food stored, the interior lighting can be positioned at all rack levels.



### NoFrost

Convenient: manual defrosting no longer necessary. Cooled air is circulated and prevents the formation of ice on food.



### DynaCool

Uniform distribution of temperature: a ventilator ensures excellent circulation and distribution of cold air.



Exclusive to Miele ComfortClean
Fast cleaning: the high-quality door racks are dishwasher-proof.

<sup>\*</sup> Features will vary depending on model

### Further convincing talents

The product benefits\* of Miele refrigerators, freezers and wine conditioning units



VarioBord the table: the versatile VarioBord shelves are very easy to take out of their holders and to insert again\*.



EasyOpen lever nanue Easy to open: the elegant EasyOpen lever handle handle allows you to open the door effortlessly.



**Active AirClean filters Active AirClean flitters**Unspoiled aroma retained: the combination of active charcoal filter and chitosan (a natural product) effectively prevents odours\*.



**SoftClose** Closes quietly and reliably: the gently selfclosing door prevents items from falling



**SelfClose** Convenient access: drawers can be pulled out to their full depth and closed again with a gentle touch\*.



**LED** lighting Maintenance free and economical: efficient and durable LEDs ensure perfect illumination of the interior\*.



**IceMaker** 

Produced quickly and stored: Miele's IceMaker has separate controls and can produce approximately 100 ice cubes a day\*.



CleanSteel

No fingerprints on stainless steel: the surface is protected and no special cleaning agents are required.



VarioRoom

Adaptable to space requirements: storage space can be re-arranged if more room is required to freeze bulky items.



### SuperCool/SuperFreeze

Fast cooling and freezing: ideal for large quantities of food, extra cold drinks or gentle freezing.



### FlexiFrame with NoteBoard

Only a single-handed motion is required: individual slats can be repositioned and adjusted to suit the bottle shape. The NoteBoard can be used for individual labelling.



### **Temperature zones**

Separate temperature controls: up to three different types of wine requiring different temperatures can be stored at the same time\*.

27

## Freestanding Refrigerators







Model	K 12820 SD	K 12820 SD edt/cs	K 14820 SD ed/cs
Appliance category	10.2020	11 12020 02 04400	11 1 1020 02 04/00
Refrigerator/Freezer/Fridge Freezer	●/-/-	•/-/-	•/-/-
Type of appliance	_, ,	-, ,	-, ,
Freestanding/Integrated	•/-	•/-	•/-
Door hinging/Convertible	Right/•	Right/•	Right/●
Side-by-side compatible/Side-by-side location	●/Right	●/Right	●/Right
Design	-71 tigrit	€/Ttigrit	-/Ttigitt
Colour/front	White/White	Stainless steel/CleanSteel	CleanSteel/CleanSteel
Lighting in refrigerator/PerfectFresh/Freezer section	•/-/-	●/-/-	•/-/-
Type of lighting	LED	LED	LED
Capacity	LLD	LLD	LLD
Total gross volume	405	405	405
Refrigerator volume	405	405	405
PerfectFresh volume	405	405	405
			_ <del>_</del>
Freezer volume		<del></del>	— <del>-                                   </del>
Freezing capacity (kg/24 h)	-	-	_
Convenience features			
PerfectFresh			
PerfectFresh Pro		<del>_</del>	
ComfortClean			
DynaCool	<u>•</u>	<u>•</u>	
SuperCool			
SuperFreeze			<u> </u>
NoFrost			
VarioRoom			<u> </u>
Active AirClean filter	<u> </u>	<u> </u>	
SoftClose door damper	<u> </u>		
SelfClose		<u> </u>	<u> </u>
IceMaker/Plumbed in/Mylce water tank		<u> </u>	
EasyOpen lever handle	•	•	•
Refrigerator zone			
No. of shelves/Height adjustable/Sectionable/Illuminated	6/5/1/-	6/5/1/-	6/5/1/-
Chrome plated metal bottle rack	•	•	•
No. of removable vegetable drawers	2	2	2
Storage compartment for butter and cheese	•	•	•
VarioBord		_	_
No. of door racks/Door racks for bottles/Half door racks	5/2/-	5/2/-	5/2/-
PerfectFresh zone			
No. of PerfectFresh drawers	_	_	_
Freezer zone			
No. of freezer drawers	-	_	-
Controls			
Electronic temperature display and control	ComfortControl	ComfortControl	TouchControl
Efficiency and sustainability	Some Control	Commontoonidor	
Energy efficiency rating	2.5	2.5	2.5
Energy consumption per year	279	279	279
Safety	213	210	210
Control lock/Power cut indication for the freezer section	●/_	•/-	●/_
	<u> </u>	<u> </u>	
Acoustic door alarm/Acoustic temperature alarm			
Optical door alarm/Optical temperature alarm	<i>-</i> /♥	-/ <b>●</b>	-/ <del>-</del>
Technical data			
Dimensions in cm (W x H x D) (Recess dimensions for integrated units)	60 x 185 x 63	60 x 185 x 63	60 x 185 x 63
Sound power in dB(A)	37	37	37
Storage time in event of a fault	_	_	_
Accessories supplied			
Cool pack/ice tray	-	-	-



















Model	K 14827 SD ed/cs
Appliance category	1 14021 OD CU/CS
Refrigerator/Freezer/Fridge Freezer	●/-/-
Type of appliance	<b>-</b> ,-,-
Freestanding/Integrated	•/-
Door hinging/Convertible	Right/•
Side-by-side compatible/Side-by-side location	●/Right
	●/Nigrit
Design Colour/front	CleanCteel/CleanCteel
Colour/front	CleanSteel/CleanSteel  •/-/-
Lighting in refrigerator/PerfectFresh/Freezer section	
Type of lighting	LED
Capacity	400
Total gross volume	403
Refrigerator volume	277
PerfectFresh volume	126
Freezer volume	<u> </u>
Freezing capacity (kg/24 h)	-
Convenience features	
PerfectFresh	
PerfectFresh Pro	
ComfortClean	
DynaCool	<u> </u>
SuperCool	<u> </u>
SuperFreeze	<u> </u>
NoFrost	<u> </u>
VarioRoom	
Active AirClean filter	<u> </u>
SoftClose door damper	
SelfClose	<u> </u>
IceMaker/Plumbed in/Mylce water tank	
EasyOpen lever handle	•
Refrigerator zone	
No. of shelves/Height adjustable/Sectionable/Illuminated	6/5/1/-
Chrome plated metal bottle rack	•
No. of removable vegetable drawers	<del>-</del>
Storage compartment for butter and cheese	•
VarioBord	<del>-</del>
No. of door racks/Door racks for bottles/Half door racks	4/2/-
PerfectFresh zone	
No. of PerfectFresh drawers	3
Freezer zone	
No. of freezer drawers	_
Controls	
Electronic temperature display and control	TouchControl
Efficiency and sustainability	
Energy efficiency rating	3
Energy consumption per year	252
Safety	
Control lock/Power cut indication for the freezer section	●/_
Acoustic door alarm/Acoustic temperature alarm	
Optical door alarm/Optical temperature alarm	
Technical data	
Dimensions in cm (W x H x D)	
(Recess dimensions for integrated units)	60 x 185 x 63
Sound power in dB(A)	40
Storage time in event of a fault	
Accessories supplied	
Cool pack/ice tray	_











## Freestanding Freezers







Appliance category	Model	FN 12827 S	FN 12827 S edt/cs	FN 14827 S ed/cs
Refingentor/Freezer/Fridge Freezer		111 12021 0	111 12021 0 000 00	111 11021 0 04/00
Vigo of appliance		_/•/_	_/•/_	_/•/_
	<u> </u>	75,	7-7	7-7
Left/▼   Left/▼   Left/▼   Left/▼   Left/▼   Left/▼	7	•/-	•/-	•/-
Side-by-side compatible/Side-by-side location         ◆Left         ◆Left         ◆Left           Dobour/front         White/White         Stainless steel/CleanSteel         CleanSteel/CleanSteel           Uppool lighting         -         -/-/-         -/				_ <del>-</del>
Design   Colour/front   White/White   Stairleess steel/CleanSteel   CleanSteel/CleanSteel   Lighting in erfigerator/PerfectFresh/Freezer section   -/-   -/-   -/-   -/-     -/-				
Dolout/front   Upithing in erfigerator/PerfectFresh/Freezer section   -/-   -/-   -/-   -/-   -/-   -/-		€/Leit	●/ Leit	●/Leit
	•	\M/hita/\M/hita	Stainless staal/CleanStaal	ClaanStool/ClaanStool
Type of lighting				
Capacity				
Total gross volume		_		LED
PetrectPresh volume		304	204	204
PerfectPrissh volume				_
Freezer volume Freez			<del></del>	_
Freezing capacity (sg/24 h)  Convenience features  PerfectFresh PerfectFresh Pro PerfectFresh Pro PerfectGresh Pro PerfectGr				_
Convenience features   PerfectFresh Pro				
PerfectFresh Pro		20	20	20
PerfectPresh Pro				
ComfortClean				
DynacCool   -   -   -   -   -     -     -     -     -     -     -     -     -     -     -     -     -     -     -			<del></del>	
SuperFreeze				
SuperFreeze	•			
No Frost	,			<del>-</del>
Active AirClean filter				
Active AirClean filter				
SoftClose door damper  SelfClose				
SelfClose		<del>_</del>		
CeMaker/Plumbed in/Mylce water tank	·		<u>-</u>	
EasyOpen lever handle				
Refrigerator zone   No. of shelves/Height adjustable/Sectionable/Illuminated   -/-/-	IceMaker/Plumbed in/Mylce water tank			
No. of shelves/Height adjustable/Sectionable/Illuminated	EasyOpen lever handle	•	<u> </u>	•
Chrome plated metal bottle rack  No. of removable vegetable drawers	Refrigerator zone			
No. of removable vegetable drawers	No. of shelves/Height adjustable/Sectionable/Illuminated	_/_/_	_/_/_	
Storage compartment for butter and cheese	Chrome plated metal bottle rack	<u> </u>		<u> </u>
VarioBord		<u> </u>		<u> </u>
No. of door racks/Door racks for bottles/Half door racks	Storage compartment for butter and cheese			
PerfectFresh zone	VarioBord			<u> </u>
No. of PerfectFresh drawers  No. of freezer zone  No. of freezer drawers  No.	No. of door racks/Door racks for bottles/Half door racks	-/-/-	-/-/-	-/-/-
No. of freezer drawers	PerfectFresh zone			
No. of freezer drawers  Controls  Electronic temperature display and control  Efficiency and sustainability  Energy efficiency rating  Energy consumption per year  Safety  Control lock/Power cut indication for the freezer section  Acoustic door alarm/Acoustic temperature alarm  Optical door alarm/Optical temperature alarm  Dimensions in cm (W x H x D)  (Recess dimensions for integrated units)  Sound power in dB(A)  Accessories supplied   ComfortControl  ComfortControl  ComfortControl  ComfortControl  TouchControl	No. of PerfectFresh drawers	_	_	_
Controls         ComfortControl         ComfortControl         TouchControl           Efficiency and sustainability         3.5         9.9         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0	Freezer zone			
Electronic temperature display and control  Efficiency and sustainability  Energy efficiency rating  Energy efficiency rating  Safety  Control lock/Power cut indication for the freezer section  Acoustic door alarm/Acoustic temperature alarm  ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	No. of freezer drawers	8	8	8
Efficiency and sustainability  Energy efficiency rating 3.5 3.5 3.5  Energy consumption per year 310 310 358  Safety  Control lock/Power cut indication for the freezer section	Controls			
Energy efficiency rating  3.5 3.5 3.5 Safety  Control lock/Power cut indication for the freezer section  Acoustic door alarm/Acoustic temperature alarm	Electronic temperature display and control	ComfortControl	ComfortControl	TouchControl
Energy consumption per year  Safety  Control lock/Power cut indication for the freezer section  Acoustic door alarm/Acoustic temperature alarm  ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Efficiency and sustainability			
Energy consumption per year  Safety  Control lock/Power cut indication for the freezer section  Acoustic door alarm/Acoustic temperature alarm  ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Energy efficiency rating	3.5	3.5	3.5
Safety         Control lock/Power cut indication for the freezer section         -/-         -/-         ●/●           Acoustic door alarm/Acoustic temperature alarm         ●/●         ●/●         ●/●         ●/●           Optical door alarm/Optical temperature alarm         -/●         -/●         -/●         -/●           Technical data         -/● <td></td> <td></td> <td></td> <td></td>				
Control lock/Power cut indication for the freezer section         -/-         -/-         ●/●           Acoustic door alarm/Acoustic temperature alarm         ●/●         ●/●         ●/●           Optical door alarm/Optical temperature alarm         -/●         -/●         -/●           Technical data         -/●         -/●         -/●           Dimensions in cm (W x H x D)         (Recess dimensions for integrated units)         60 x 185 x 63         60 x 185 x 63           (Recess dimensions for integrated units)         40         40         40           Storage time in event of a fault         43         43         43           Accessories supplied         43         43         43	Safety			
Acoustic door alarm/Acoustic temperature alarm  Optical door alarm/Optical temperature alarm  -/•  Technical data  Dimensions in cm (W x H x D)  (Recess dimensions for integrated units)  Sound power in dB(A)  Storage time in event of a fault  Accessories supplied	•	-/-	-/-	●/●
Optical door alarm/Optical temperature alarm       -/●       -/●       -/●         Technical data         Dimensions in cm (W x H x D)         (Recess dimensions for integrated units)       60 x 185 x 63       60 x 185 x 63       60 x 185 x 63         Sound power in dB(A)       40       40       40         Storage time in event of a fault       43       43       43         Accessories supplied       43       43       43	Acoustic door alarm/Acoustic temperature alarm			
Technical data       Dimensions in cm (W x H x D)       (Recess dimensions for integrated units)     60 x 185 x 63     60 x 185 x 63     60 x 185 x 63       Sound power in dB(A)     40     40     40       Storage time in event of a fault     43     43     43       Accessories supplied	•			
Dimensions in cm (W x H x D) (Recess dimensions for integrated units)  60 x 185 x 63  40  40  40  Storage time in event of a fault  43  43  43  43	Technical data			
(Recess dimensions for integrated units)     60 x 185 x 63     60 x 185 x 63     60 x 185 x 63       Sound power in dB(A)     40     40     40       Storage time in event of a fault     43     43     43       Accessories supplied     43     43				
Sound power in dB(A)         40         40         40           Storage time in event of a fault         43         43         43           Accessories supplied         43         43         43	(Recess dimensions for integrated units)	60 x 185 x 63	60 x 185 x 63	60 x 185 x 63
Storage time in event of a fault 43 43 43  Accessories supplied 43	Sound power in dB(A)			
Accessories supplied	Storage time in event of a fault			
,,	Accessories supplied			
		-/•	-/•	•/•

















## Freestanding Fridge Freezers







Model	KFN 12823 SD-1	KFN 12823 SD edt/cs-1	KFN 14842 SD ed/cs
Appliance category			
Refrigerator/Freezer/Fridge Freezer	-/-/●	-/-/●	-/-/●
Type of appliance			
Freestanding/Integrated	●/_	●/-	●/-
Door hinging/Convertible	Right/●	Right/●	Right/●
Side-by-side compatible/Side-by-side location	_/_	-/-	
Design			
Colour/front	White/White	Stainless steel/CleanSteel	CleanSteel/CleanSteel
Lighting in refrigerator/PerfectFresh/Freezer section	●/-/-	●/-/-	•/-/-
Type of lighting	LED	LED	LED
Capacity			
Total gross volume	339	339	458
Refrigerator volume	231	231	358
PerfectFresh volume			
Freezer volume	108	108	100
Freezing capacity (kg/24 h)	14	14	7
Convenience features			
PerfectFresh	_	_	_
PerfectFresh Pro			
ComfortClean			•
DynaCool	•	•	•
SuperCool			
SuperFreeze	•	•	•
NoFrost		•	<u> </u>
VarioRoom	<u> </u>		_ <del>-</del>
Active AirClean filter			
SoftClose door damper			_ <del>-</del>
SelfClose			
IceMaker/Plumbed in/Mylce water tank	<u> </u>		
EasyOpen lever handle	<u> </u>		
Refrigerator zone	-		
No. of shelves/Height adjustable/Sectionable/Illuminated	4/3/1/-	4/3/1/–	5/4/1/-
Chrome plated metal bottle rack	4/3/1/-	<u>4/3/1/-</u>	
No. of removable vegetable drawers		2	
Storage compartment for butter and cheese			
VarioBord			_ <del>-</del>
No. of door racks/Door racks for bottles/Half door racks	4/2/-	4/2/-	5/4/-
PerfectFresh zone	4/2/-	4/2/-	5/4/-
No. of PerfectFresh drawers			
	_	_	_
Freezer zone No. of freezer drawers	3	3	2
Controls	3	3	2
	0	0	Tb-Otl
Electronic temperature display and control	ComfortControl	ComfortControl	TouchControl
Efficiency and sustainability	0.5	0.5	0.5
Energy efficiency rating	2.5	2.5	3.5
Energy consumption per year	414	414	352
Safety	/-	/-	
Control lock/Power cut indication for the freezer section			
Acoustic door alarm/Acoustic temperature alarm			
Optical door alarm/Optical temperature alarm  Technical data	<b>-/●</b>	<b>-/●</b>	_/●
Dimensions in cm (W x H x D) (Recess dimensions for integrated units)	60 x 182 x 63	60 x 182 x 63	75 x 186 x 63
Sound power in dB(A)	40	40	43
Storage time in event of a fault	30	30	21
Accessories supplied			
Cool pack/ice tray	<b>-/●</b>	<b>-/</b> ●	•/•
and the second second	, =	, -	

















## Freestanding Fridge Freezers



Model	KFN 14827 SDE ed/cs
Appliance category	14.11.11021 022 04/00
Refrigerator/Freezer/Fridge Freezer	-/-/●
Type of appliance	
Freestanding/Integrated	•/-
Door hinging/Convertible	Left/●
Side-by-side compatible/Side-by-side location	●/Left
Design	
Colour/front	CleanSteel/CleanSteel
Lighting in refrigerator/PerfectFresh/Freezer section	•/-/-
Type of lighting	LED
Capacity	
Total gross volume	321
Refrigerator volume	171
PerfectFresh volume	Part of 171
Freezer volume	150
Freezing capacity (kg/24 h)	14
Convenience features	
PerfectFresh	•
PerfectFresh Pro	
ComfortClean	•
DynaCool	•
SuperCool	•
SuperFreeze	•
NoFrost	•
VarioRoom	•
Active AirClean filter	•
SoftClose door damper	•
SelfClose	
IceMaker/Plumbed in/Mylce water tank	●/●/-
EasyOpen lever handle	•
Refrigerator zone	
No. of shelves/Height adjustable/Sectionable/Illuminated	2/1/–/–
Chrome plated metal bottle rack	•
No. of removable vegetable drawers	
Storage compartment for butter and cheese	
VarioBord	
No. of door racks/Door racks for bottles/Half door racks	
PerfectFresh zone	
No. of PerfectFresh drawers	2
Freezer zone	_
No. of freezer drawers	3+2
Controls	0.2
Electronic temperature display and control	TouchControl
Efficiency and sustainability	Todomoonilor
Energy efficiency rating	3
Energy consumption per year/in 24 h in kWh	358
Safety	
Control lock/Power cut indication for the freezer section	●/●
Acoustic door alarm/Acoustic temperature alarm	<u> </u>
Optical door alarm/Optical temperature alarm	
Technical data	
Dimensions in cm (W x H x D)	60 x 185 x 63
Dimensions in cm (W x H x D) (Recess dimensions for integrated units)	60 x 185 x 63
Dimensions in cm (W x H x D) (Recess dimensions for integrated units) Sound power in dB(A)	42
Dimensions in cm (W x H x D) (Recess dimensions for integrated units) Sound power in dB(A) Storage time in event of a fault	
Dimensions in cm (W x H x D) (Recess dimensions for integrated units) Sound power in dB(A) Storage time in event of a fault Accessories supplied	31
Dimensions in cm (W x H x D) (Recess dimensions for integrated units) Sound power in dB(A) Storage time in event of a fault	42











## **Built-in Refrigerators**





Model	KS 37422 iD	KS 37472 iD
Appliance category		
Refrigerator/Freezer/Fridge Freezer	●/-/-	●/-/-
Type of appliance		
Freestanding/Integrated	_/●	_/●
Door hinging/Convertible	Right/●	Right/●
Side-by-side compatible/Side-by-side location	<ul><li>/Freely combinable</li></ul>	<ul> <li>/Freely combinable</li> </ul>
Design		
Colour/front		_/_
Lighting in refrigerator/PerfectFresh/Freezer section	●/-/-	●/-/-
Type of lighting	FlexiLight	FlexiLight
Capacity		
Total gross volume	348	344
Refrigerator volume	348	245
PerfectFresh volume	<del>_</del>	99
Freezer volume	<u> </u>	_
Freezing capacity (kg/24 h)	-	-
Convenience features		
PerfectFresh		•
PerfectFresh Pro	<u> </u>	
ComfortClean		•
DynaCool		•
SuperCool		•
SuperFreeze	<del></del>	
NoFrost	<u> </u>	_
VarioRoom	<u> </u>	
Active AirClean filter		
SoftClose door damper		•
SelfClose	<u> </u>	•
IceMaker/Plumbed in/Mylce water tank		
EasyOpen lever handle	-	_
Refrigerator zone	7/7/ //	0/0/ //
No. of shelves/Height adjustable/Sectionable/Illuminated	7/7/-/4	6/6/-/4
Chrome plated metal bottle rack		•
No. of removable vegetable drawers	2	
Storage compartment for butter and cheese	<del>-</del>	-
VarioBord  No. of door racks/Door racks for bottles/Half door racks	5/2/-	5/2/-
PerfectFresh zone	5/2/-	5/2/-
No. of PerfectFresh drawers		3
Freezer zone	_	3
No. of freezer drawers		
Controls	_	
Electronic temperature display and control	TouchControl	TouchControl
Efficiency and sustainability	Iodelicontrol	Touchcontrol
Energy efficiency rating	3	1.5
Energy consumption per year/in 24 h in kWh	238	328
Safety	230	320
Control lock/Power cut indication for the freezer section	●/_	•/-
Acoustic door alarm/Acoustic temperature alarm	<u> </u>	•/-
Optical door alarm/Optical temperature alarm	<u> </u>	•/-
Technical data		
Dimensions in cm (W x H x D)		
(Recess dimensions for integrated units)	56 - 56.8 x 177.2 - 178.8 x 55.5	56 – 56.8 x 177.2 – 178.8 x 55.
Sound power in dB(A)	34	38
Storage time in event of a fault	<del>-</del>	_
Accessories supplied		
Cool pack/ice tray	-	-
p	COMFORT SOFT CLOSE	TOUCH COMFORT SOFT CLEAN CLOSE

## Built-in Fridge Freezers







Model	KFNS 37432 iD	KFNS 37452 iDE	KFNS 37682 iD
Appliance category			
Refrigerator/Freezer/Fridge Freezer	<b>-/-/●</b>	-/-/●	<b>-/-/●</b>
Type of appliance			
Freestanding/Integrated	_/●	_/•	_/•
Door hinging/Convertible	Right/●	Right/●	Right/●
Side-by-side compatible/Side-by-side location	<ul> <li>/Freely combinable</li> </ul>	<ul><li>/Freely combinable</li></ul>	<ul> <li>Freely combinable</li> </ul>
Design			
Colour/front	-/-	-/-	-/-
Lighting in refrigerator/PerfectFresh/Freezer section	•/-/-	•/-/-	●/●/-
Type of lighting	FlexiLight	FlexiLight	FlexiLight
Capacity			
Total gross volume	283	283	279
Refrigerator volume	202	202	126
PerfectFresh volume			72
Freezer volume	81	81	81
Freezing capacity (kg/24 h)	10	10	10
Convenience features			
PerfectFresh	_	_	_
PerfectFresh Pro			<u> </u>
ComfortClean		•	
DynaCool	<u> </u>	<u> </u>	
SuperCool	_ <del>_</del>	<del>_</del>	<u> </u>
	<del>_</del>	<del>-</del>	
SuperFreeze	<del>`</del>	_ <del>`</del>	
NoFrost			
VarioRoom		<u> </u>	<u> </u>
Active AirClean filter	<del>_</del>		
SoftClose door damper			
SelfClose	<u> </u>	<u> </u>	
IceMaker/Plumbed in/Mylce water tank			<u> </u>
EasyOpen lever handle	_	-	-
Refrigerator zone			
No. of shelves/Height adjustable/Sectionable/Illuminated	3/3/–/2	3/3/–/2	3/3/–/2
Chrome plated metal bottle rack	<u> </u>	<u> </u>	
No. of removable vegetable drawers	1	1	<u> </u>
Storage compartment for butter and cheese			
VarioBord	<u> </u>		•
No. of door racks/Door racks for bottles/Half door racks	3/1/–	3/1/–	2/1/–
PerfectFresh zone			
No. of PerfectFresh drawers	_	_	2
Freezer zone			
No. of freezer drawers	3	2+2	3
Controls			
Electronic temperature display and control	TouchControl	TouchControl	TouchControl
Efficiency and sustainability			
Energy efficiency rating	3.5	3	3
Energy consumption per year/in 24 h in kWh	300	336	335
Safety		000	
Control lock/Power cut indication for the freezer section	•/•	•/•	•/•
Acoustic door alarm/Acoustic temperature alarm	•/•	•/•	<u> </u>
<u>'</u>			
Optical door alarm/Optical temperature alarm  Technical data	●/●	●/●	●/●
Dimensions in cm (W x H x D)			
(Recess dimensions for integrated units)			55.5 <u>56 – 56.8 x 177.2 – 178.8 x 55.5</u>
Sound power in dB(A)	37	37	38
Storage time in event of a fault	24	20	24
Accessories supplied			
Cool pack/ice tray	•	_	•
	COMFORT CLOSE	COMFORT CLEAN CLOSE MAKE	DYWA GOOL CLEAN CLOSE



Model	KFNS 37692 iDE
Appliance category	
Refrigerator/Freezer/Fridge Freezer	_/_/●
Type of appliance	
Freestanding/Integrated	_/●
Door hinging/Convertible	Right/●
Side-by-side compatible/Side-by-side location	<ul><li>/Freely combinable</li></ul>
Design	
Colour/front	
Lighting in refrigerator/PerfectFresh/Freezer section	●/●/-
Type of lighting	FlexiLight
Capacity	
Total gross volume	279
Refrigerator volume	126
PerfectFresh volume	72
Freezer volume	81
Freezing capacity (kg/24 h)	10
Convenience features	
PerfectFresh	<u> </u>
PerfectFresh Pro	
ComfortClean	
DynaCool	<u> </u>
SuperCool	
SuperFreeze	
NoFrost	
VarioRoom	
Active AirClean filter	<u> </u>
SoftClose door damper	
SelfClose	
IceMaker/Plumbed in/MyIce water tank	●/●/-
EasyOpen lever handle	_
Refrigerator zone	
No. of shelves/Height adjustable/Sectionable/Illuminated	3/3/–/2
Chrome plated metal bottle rack	<u> </u>
No. of removable vegetable drawers	<del>_</del>
Storage compartment for butter and cheese	<u> </u>
VarioBord	
No. of door racks/Door racks for bottles/Half door racks	2/1/–
PerfectFresh zone	
No. of PerfectFresh drawers	2
Freezer zone	
No. of freezer drawers	2+2
Controls	
Electronic temperature display and control	TouchControl
Efficiency and sustainability	
Energy efficiency rating	3
Energy consumption per year/in 24 h in kWh	340
Safety	
Control lock/Power cut indication for the freezer section	<u> </u>
Acoustic door alarm/Acoustic temperature alarm	•/•
Optical door alarm/Optical temperature alarm	•/•
Technical data	
Dimensions in cm (W x H x D)	FO FOO. 477.0 470.0 55.5
(Recess dimensions for integrated units)	<u>56 – 56.8 x 177.2 – 178.8 x 55.5</u>
Sound power in dB(A)	38
Storage time in event of a fault	20
Accessories supplied	
Cool pack/ice tray	



## **Built-in Freezer**



Model	FNS 37402 i
Appliance category	
Refrigerator/Freezer/Fridge Freezer	_/●/_
Type of appliance	
Freestanding/Integrated	-/●
Door hinging/Convertible	Right/●
Side-by-side compatible/Side-by-side location	●/Freely combinable
Design	
Colour/front	-/-
Lighting in refrigerator/PerfectFresh/Freezer section	<b>-/-/●</b>
Type of lighting	LED
Capacity	
Total gross volume	248
Refrigerator volume	_
PerfectFresh volume	_
Freezer volume	248
Freezing capacity (kg/24 h)	18
Convenience features	
PerfectFresh	_
PerfectFresh Pro	
ComfortClean	
DynaCool	
SuperCool	
SuperFreeze	_
NoFrost	
VarioRoom	
Active AirClean filter	
SoftClose door damper	
SelfClose	<del>_</del>
	<del>-</del>
IceMaker/Plumbed in/Mylce water tank	<del>-</del>
EasyOpen lever handle	-
Refrigerator zone	
No. of shelves/Height adjustable/Sectionable/Illuminated	
Chrome plated metal bottle rack	
No. of removable vegetable drawers	
Storage compartment for butter and cheese	<del>_</del>
VarioBord	<del>-</del>
No. of door racks/Door racks for bottles/Half door racks	-
PerfectFresh zone	
No. of PerfectFresh drawers	-
Freezer zone	
No. of freezer drawers	8
Controls	
Electronic temperature display and control	TouchControl
Efficiency and sustainability	
Energy efficiency rating	3
Energy consumption per year/in 24 h in kWh Safety	331
Control lock/Power cut indication for the freezer section	●/●
Acoustic door alarm/Acoustic temperature alarm	●/●
Optical door alarm/Optical temperature alarm	•/•
Technical data	
Dimensions in cm (W x H x D)	
(Recess dimensions for integrated units)	56 - 56.8 x 177.2 - 178.8 x 55.5
Sound power in dB(A)	38
Storage time in event of a fault	34
Accessories supplied	
Cool pack/ice tray	







## Wine Conditioning





Model	KWT 6321 UG	KWT 6831 SG
Appliance category		
Wine conditioning	•	•
Type of appliance		
Freestanding/Built under	_/●	●/-
Door hinging/Convertible	Right/●	Right/●
Design		
Colour/front	Glass door/Handle strip	Framed glass door
Lighting	•	•
Type of lighting	LED (dimmable)	LED
Convenience features		
No. of wine conditioning zones	_2	3
No. of Bordeaux bottles	34	178
No. of storage levels	_ 5	13
No. of wooden racks	3	10
No. of flexible wooden racks with FlexiFrame		10
DynaCool	<u> </u>	<u> </u>
Active charcoal filter	•	•
SoftClose door damper		•
Bottle presenter	_	•
Controls		
Electronic temperature display and control	ComfortControl	TouchControls
Safety		
Control lock/Power cut indication	●/●	●/●
Acoustic door alarm/Acoustic temperature alarm	●/●	●/●
Optical door alarm/Optical temperature alarm	_/_	●/●
Technical data		
Dimensions in cm (W x H x D)	59.7 x 81.87 x 57.5	70 x 192 x 74.5
Sound power in dB(A)	40	38









# Using refrigerators, freezers and wine units to their best avail



### Accessories for refrigerators, freezers and wine units




### Insulation panels for freezers. **IP 600**

For reducing energy consumption

- For separating unused from used areas
- Saves up to 50% energy in unused areas
- For FN12.000/14.000 freezers

IP 600: for 60 cm wide freezers M.-Nr. 6.522.590



### **Bottle rack** KFR 30060 PF / KFR 30060

Made from chrome-plated metal for the horizontal storage of up to five bottles

• For built-in K30.000 refrigeration series

KFR 30060 PF for appliances with PerfectFresh M.-Nr. 9.552.700

KFR 30060 for appliances without PerfectFresh M.-Nr. 9.552.690



### FlexiLight light strip

For a perfectly illuminated refrigerator

- For fitting onto the front of the glass shelves
- Contents: 1 pre-configured light unit
- Suitable for K30.000 refrigerator series

M.-Nr. 9.552.720



### **Bottle rack** KFR 10061

Made from chrome-plated metal for the horizontal storage of up to five bottles

• For 60 cm wide K10.000 freestanding refrigeration appliances without PerfectFresh

M.-Nr. 7.316.080



### **Bottle rack** KFR 10067

Made from chrome-plated metal for the horizontal storage of up to five bottles

• For 60 cm wide K10.000 freestanding refrigeration appliances with PerfectFresh

M.-Nr. 7.316.090





### **Retrofitting kit for Active AirClean filter** KKF-FF

Prevents unpleasant odours in the refrigerator

- For optimum and odour-neutral food storage conditions
- · Innovative combination of active charcoal with chitosan
- To be fitted onto the rear edge of the glass shelves
- Recommended replacement: approx. every 6 months
- Only the two filters require replacing (KKF-RF, M.-Nr. 7.236.280)
- Retrofittable on all K9.000 and K 30.000 built-in and K12.000 freestanding appliances M.-Nr. 7.236.290



### **Odour-absorbing Active AirClean filter** KKF-RF

Contents: 2 odour filters

- For filter replacement in plastic housing of KKF-FF (Mat. no. 7.236.290)
- Recommended replacement: approx. every 6
- Suitable for K14.000 and KFN14.000 models. Retrofittable on all K9.000 and K30.000 built-in and K12.000 freestanding appliances.

M.-Nr. 7.236.280



### **Active AirClean filter**

For an odour-free climate in your wine conditioning

- For KWT 6321 UG built-under wine unit
- For KWT 6831 SG freestanding wine unit


M.-Nr. 9.447.050


### Installation diagrams


#### Correct installation and ventilation


The ventilation of your integrated or built under Miele refrigerator, freezer or wine conditioner is a very important factor that must be considered during installation. In order for your integrated or built under unit to operate correctly, all information outlined within the operating instructions regarding ventilation requirements must be adhered to. Incorrect installation and ventilation may cause unnecessary faults with your appliance that may not be covered under warranty. \*Please note that the outlined installation diagrams are based on minimum


ventilation requirements













### Useful information

Miele refrigerators, freezers and wine conditioning units - glossary

#### **Active AirClean filters**



Food should not only be stored somewhere cool, it should be stored in an odour free environment. This also applies to odour-free storage of wine. This is easily

achieved with Miele's Active AirClean filters which contain an innovative and effective combination of active charcoal together with a natural product called chitosan. The filter is fitted simply and quickly.

### CleanSteel



All machines in stainless steel have a special CleanSteel finish. The advantages: less visible fingerprints.

CleanSteel is very easy to clean without the need for special detergents.

#### ComfortClean



Miele ComfortClean door racks are made from highquality temperature resistant and transparent SAN plastic which is particularly scratch-proof and resistant

to chemicals. All door racks on K 10000 and K 30000 appliances can also be washed conveniently and hygienically in a dishwasher (up to 55°C). Door racks no longer require manual cleaning.

### **DynaCool**



Temperature and humidity are very important for the perfect storage of food and wine. With DynaCool, an integrated fan ensures that air circulates evenly, resulting

in uniform temperature and humidity levels throughout the entire appliance.

### EasyOpen lever handle



Miele refrigerators and freezers are particularly easily and elegant to open as they feature the ergonomical EasyOpen lever handle. Made from solid metal or

stainless steel look for perfect design harmony right down to the very last detail. The design of your Miele refrigerator perfectly matches your other Miele built-in appliances.

### FlexiFrame with NoteBoard



Every bottle rack features a magnetic strip for use with blackboard chalk: the strip is for noting, for example, a wine's origin, grape variety, year, etc. The NoteBoards

are magnetically affixed; they can be removed and replaced easily for more convenient labelling. The versatile bottle racks from Miele offer the perfect hold for every bottle. That is because the individual wooden slats can be repositioned within the frame and adjust perfectly to different types of bottles. This provides the perfect storage position for your wine bottles.

#### FlexiLight



The new LED FlexiLight glass-edge lighting not only illuminates the interior of Miele appliances with a glare-free and unique brilliance, it can also be positioned

wherever needed. This ensures that no matter how much food you store, it cannot block the light and impair illumination. FlexiLight can be positioned where you need it most.

### **IceMaker**



Ice-cold beverages served professionally and fast: the automatic IceMaker can produce approx. 100 ice cubes daily. Miele offers plumbed-in models as well as models

with water container. You can fill the water container according to your needs.

#### **LED** lighting

The indirect lighting creates a pleasant atmosphere and underlines the high quality materials. LED lights are maintenance free and illuminate the internal cabinet perfectly. Compared with standard lightbulbs, LED lighting is particularly energy efficient and offers the benefit of a considerable longer life cycle.

### NoFrost



The intelligent NoFrost system prevents the formation of ice on cabinet surfaces. This allows drawers to be opened and closed without ice formation causing an

obstruction. NoFrost therefore saves considerable time and offers greater user convenience as manual defrosting is no longer required. The circulation of cool air in the freezer also prevents ice formation on frozen food.

### PerfectFresh



In the PerfectFresh zone food can be kept fresh for much longer than in a conventional refrigeration unit. This ensures that important vitamins, minerals and

freshness are retained longer.

### PerfectFresh Pro



PerfectFresh Pro keeps fruit and vegetables fresh for even longer. Miele developed this innovative PerfectFresh technology further and achieved that food

remains fresh for longer. In the PerfectFresh Pro drawer, fruit and vegetables are stored in ideal temperature and specific humidity levels.

### **SelfClose**



The PerfectFresh drawers in Miele built-in appliances all have fully telescopic runners and a self closing mechanism with anti-slam feature. The drawers can be

pulled out to their full depth and closed automatically again by a gentle touch. They are also extremely quiet and smooth-running. This high level of convenience provides easy access to all your stored food.

#### **SoftClose**



Refrigerator and freezer doors close silently and as if of their own accord: with SoftClose, the innovative antislam system from Miele. The door closes automatically

when the opening angle is less than 30°. The SoftClose feature ensures that the door closes gently, preventing bottles in the door rack from rattling.

### SuperCool/SuperFreeze

Miele refrigeration appliances offer additional convenience functions. SuperCool reduces the temperature to the lowest setting for 6 hours. Perfect for cooling large quantities of food quickly. In SuperFreeze, the freezer is running at full power. Freezing food fast preserves nutrients excellently and retains the foods' texture as the formation of ice crystals is prevented.

### **Temperature zones**



Miele wine units feature up to three sections with separate temperature controls. Up to three different types of wine such as red wine, white whine,

Champagne or sparkling wine can be conditioned at the same time.

### VarioBord

The high-quality, elegant VarioBord service racks are easy to remove from the stainless-steel holders in the door and are just as easily replaced. The VarioBord door-rack system has a handle and can be taken from the fridge to the table for serving.

### VarioRoom



The VarioRoom storage concept allows you to arrange storage space in the freezer to suit your needs. This is particularly useful when you have something tall or bulky

to freeze. By simply removing glass shelves and drawers you have plenty of space for that awkward item.



Miele Australia Pty. Ltd.

ACN 005 635 398 ABN 96 005 635 398

Miele Australia Pty. Ltd.

Head Office 1 Gilbert Park Drive Knoxfield VIC 3180

Telephone 1300 4 MIELE (1300 464 353)

Miele Center Knoxfield

1 Gilbert Park Drive Knoxfield VIC 3180

**Miele Center South Melbourne** 

206-210 Coventry Street South Melbourne VIC 3205

Miele Center and Office Sydney

3 Skyline Place

Frenchs Forest NSW 2086

Miele Center and Office Brisbane

39 Harvey Street North Eagle Farm QLD 4009

Miele Center and Office Adelaide

83 Sir Donald Bradman Drive Hilton SA 5033

**Miele Center and Office Perth** 

205-207 Stirling Highway Claremont WA 6010

www.miele.com.au

Miele New Zealand Limited Miele Center and Head Office

8 College Hill Freemans Bay, Auckland, 1011 Telephone 0800 264 353

www.miele.co.nz

Miele Global Headquarters Miele & Cie. KG

Carl-Miele-Strasse 29 D-33332 Gütersloh

Federal Republic of Germany

### Foreign Sales Companies

(A) Miele Ges.m.b.H., Wals/Salzburg

(AUS) Miele Australia Pty. Ltd.,

Melbourne

(B) N.V. Miele S.A., Mollem (CDN) Miele Limited, Vaughan/Ontario (CH) Miele AG, Spreitenbach

(CL) Miele Electrodomésticos Ltda., Santiago de

Chile

(CN) Miele Shanghai Trading Ltd., Shanghai

(CZ) Miele spol.s.r.o., Brno
(D) Miele & Cie. KG, Gütersloh
(DK) Miele A/S, Glostrup/Copenhagen
(E) Miele S.A., Alcobendas/Madrid
(EST) Miele SIA Eesti filiaal, Tallinn

(F) Miele S.A.S.,

Le Blanc-Mesnil/Paris
(FIN) Miele Oy, Vantaa/Helsinki
(GB) Miele Company Ltd., Abingdon

(GR) Miele Hellas E.P.E.,
Psychiko-Athens
(H) Miele Kft., Budapest
(HK) Miele Hong Kong Ltd.,
Hong Kong

(HR) Miele d.o.o., Zagreb
(I) Miele Italia S.R.L., Eppan
(IND) Miele India Pvt Ltd., New Delhi
(IRL) Miele Ireland Ltd., Dublin
(J) Miele Japan Corp.,
Meguro-ku/Tokyo

(KZ) Miele Liability Partnership, Almaty
(L) Miele s.à r.l., Luxembourg
(LT) SIA "Miele" Lietuvos filialas, Vilnius

(LV) Miele SIA, Riga

(MAL) Miele Sdn Bhd, Kuala Lumpur (MEX) Miele S.A. de C.V., Mexico City (N) Miele AS, Nesbru/Oslo (NL) Miele Nederland B.V., Vianen (NZ) Miele New Zealand Ltd.,

Auckland

(P) Miele Portuguesa Lda., Carnaxide/Lisbon

(PL) Miele Sp. z o. o., Warsaw (RO) Miele Appliances S.R.L., Otopeni (ROK) Miele Korea Ltd., Seoul (RU) 000 Miele CIS, Moscow

(RU) 000 Miele CIS, Moscow
(S) Miele AB, Solna/Stockholm
(SGP) Miele Pte. Ltd., Singapore
(SK) Miele spol.s.r.o., Bratislava
(SLO) Miele d.o.o., Ljubljana
(SRB) Miele d.o.o., Belgrade
(TR) Miele Elektrikli Aletier,
Levent/Istanbul

(UA) Miele LLC, Kiev

(UAE) Miele Appliances Ltd., Dubai (USA) Miele, Inc., Princeton/New Jersey

(ZA) Miele (PTY) Ltd.,

Bryanston/Johannesburg

